

List of Ebolavirus Spirits for MD

5 species, Ebola virus (EBOV) protein VP24 inhibits type 1 and 2 interferon (IFN) signaling by binding to NPI-1 subfamily karyopherin alpha KPNA nuclear import proteins, preventing their interaction with tyrosine-phosphorylated STAT1 or phospho-STAT1. This inhibits phospho-STAT1 nuclear import,

heterogeneous nuclear ribonuclear protein complex C1/C2 (hnRNP C1/C2) nuclear import as an additional target of VP24,

Interaction with hnRNP C1/C2 occurs through the same KPNA1 C-terminal region amino acids 424 to 457 that binds VP24 and phospho-STAT1,

ability of hnRNP C1 or C2 to bind KPNA1 is diminished in the presence of VP24, and cells transiently expressing VP24 redistribute hnRNP C1 or C2 from the nucleus to the cytoplasm,

impact of EBOV VP24 on nuclear import,

a curse, hex, spell or vex, a devil or demon afflicting, abdominal pain, abject fear, abnormalities in blood clotting, abnormally low concentration of lymphocytes in blood, achiness, aching muscles, acute diarrhea, acute promyelocytic leukemia, adenovirus, aerosol transmission, affrightement, afraid, aggression, aggressiveness, agitated and confused state, agony, alcoholic drink, alopecia, amiodarone, animal-to-human transmission, animals infected and contagious without symptoms, antibiotics, antibody-based treatment, anticoagulants, Antimalarial medications, antimycotics, antisense technology phosphorodiamidate morpholino oligomers, antisocial, anxiety, apathy, apprehensions, apprehensive, asthenia, attaching to receptors through glycoprotein surface peplomer and endocytosed into macropinosomes, aversion, avigan, avoidance, aysymptomatic,

bad or evil spirit afflicting, barrier nursing, barrier-isolation, Bat-borne virus, be afraid, BCX4430, BDBV, bedside isolation, bewitched, bio-weapons, bitter Kola, bleach, bleed easily, bleeding excessively, Bleeding into skin, Bleeding into whites of eyes, bleeding risk, blindness, bleeding in lungs, blood leakage from venipuncture sites, blood loss, Blood products therapy, blood

transfusion, blood vessel injury, blood vessels hemorrhaging, blood, breast milk, or semen still contagious after recovery, bloody stools, blunt the human immune system's response to viral infections, borreliosis, break quarantine, breathing problems, breathless, Brincidofovir, brown blood in heart or lungs, budding cell destruction, Bundibugyo ebolavirus, bushmeat animals infected and contagious without symptoms,

CAD3-ZEBOV, candidiasis, carriers, channel blocker, chanting, chemical disinfectants, chemical imbalances, chest pain, chills, Chinese medicinal herb, chlorine powder, cholera, choroiditis, clomiphene, clotting factor deficiencies, CNS, cold sweat, coma, comatose, complications, confusion, conjunctival injection, conjunctivitis, constitutional,

contact with infected animals, apes, baboons, bats, chimpanzees, dogs, duikers, fruit bats, gorillas, pigs. macaques, monkeys, other primates, etc,

contagious excretions, contaminated from infected person's body fluids, contaminated materials, surfaces or objects like clothing, needles and syringes, etc, contaminates, continued weakness, convalescence phase, convulsions, Cote d'Ivoire ebolavirus, coughing up blood, cowardice, Crisis in the Hot Zone article, Cuevavirus, cultural aspects increase transmission, cytokin dysregulation, cytopathic effects,

danger, dangerous, Dasavathaaram film, death, decreased appetite, decreased blood clotting, decreased hearing, decreased liver or kidney function, decreased white blood cell count, DZ-Nep, dehydrated, dehydration, delirium, dengue fever, despair, desquamation, destroyed cells, destruction, detected E-BOV proteins, deteriorated cells, deterioration, diagnosis confused, diarrhea and with blood, diffuse coagulopathy, dimeric protein interferes with signaling of neutrophils, discomposure, discouraged, disquietude, disseminated intravascular coagulation, disseminated intravascular coagulation, distressed, distrust outsiders, medical workers, etc, distrust western and modern medicine, DNA vaccines, dogs infected and contagious without symptoms, doubt, dread, dreadful, dronedarone, dysfunction in bleeding and clotting, dyspnea,

E H F, E V D, E-BOV replication overwhelms protein synthesis, Early Organ Phase, easily bleed, eat improperly prepared infected bushmeat, eating

infected animals or fruit, Ebola conspiracies, Ebola hemorrhagic fever, Ebola Mayinga, Ebola Syndrome film, Ebola virus disease, Ebola-like viruses, ecchymoses, edema, EHEC enteritis, elevated levels of liver enzymes alanine aminotransferase and aspartate aminotransferase, encephalitis, Endothelial cell toxicity, endothelial cells breakdown, endothelial cells infected, enforced isolation, Entry points for the virus include the nose, mouth, eyes, open wounds, cuts and abrasions, etc, envelope proteins, enzyme-linked immunosorbent assay, epidemics, evidence of an immune response with no symptoms, evil imagination, excess tearing, excessive bleeding, excessive tiredness or weakness, excessive tissue factor production, Executive Orders book, excite fear, experimental antiviral drug, experimental biopharmaceutical drug, experimental therapeutic regimens, experimental treatments, exposure to virus, external bleeding, extracorporeal membrane oxygenation, Eye damage, eyesight impaired,

Faint-hearted, faintheartedness, falciparum malaria, fatality rates high, fatigue, Favipiravir, fear of death, fear of dying, fear of getting Ebola, fear of suffering, fearful, fearfulness, feeling tired, feteshes, feteshism, fever, FGI-103, 104 and 106, fibromyalgia, Filoviral infection, Filoviridae family, Filovirus genus, fluid redistribution, focal tissue necroses, folklore, foreboding, Frequent outbreaks, frightened, Fruit bats as reservoirs of Ebola, fulminant viral hepatitis,

gastrointestinal tract bleeding, Generalization Phase, genetic material from Ebola virus, RNA sequences present yet no symptoms, genus ebolavirus, Gluten Free Ebola comedy, gram-negative septicemia, griffithsin,

hair loss, hallucination, headaches, Health-care workers risk, hematemesis, hematomas, hemolytic uremic syndrome, Hemopurifier, hemorrhages, hemorrhagic fever, hemorrhagic smallpox, heparin, hepatitis, herbal remedies, hereditary hemorrhagic telangiectasia, high levels of inflammatory chemical signals, high mortality, high rates of death, high temperature, high Transmission rate, highly contagious, highly infectious, histoplasmosis, hoax messages, horrify, horror-stricken, Human-to-human transmission, hypotension, hypovolemia, hypovolemic shock, hysteria, hysterical,

improper clotting of blood, immune system compromised, increased

activation of extrinsic pathway of coagulation cascade, increased white blood cell count, incubation period, Incubation phase, infected, infected bush meat, infected medical waste, patient waste and surfaces, infected monocyte, infected and contagious without symptoms, infection, infections by contact with mucous membranes or through skin breaks, infectious Marburg virus, infirm, infirmity, influenza-like stage, inhibiting immune responses, inhibits production of interferon-beta, inoculation, interfere with cells' ability to produce and respond to interferon proteins such as interferon-alpha, interferon-beta, and interferon gamma, interferes with proper functioning of innate immune system, Interferon therapies, interferon-stimulated genes, internal bleeding, intimidation, intravenous fluids, intravenous immunoglobulin therapy, ion channel blocker, iridocyclitis, iritis, isolation,

JK-05, joint pain, Kawasaki disease, kidney Dialysis, kidney failure, laboratory accident, Lamivudine, Late Organ Phase, leads to septic state, leptospirosis, life cycle of virions, light sensitivity, liver cells infected, liver inflammation, Lloviu cuevavirus, Lloviu virus, local traditional healers, loss of weight, low blood pressure from fluid loss, low platelet count, lung dysfunction, Lungs with very high ebolavirus concentrations,

maculopapular rash, malaise, malaria like symptoms, Marburg hemorrhagic fever, Marburg virus disease, marburgviruses, massage therapy, mature progeny particles, measles, meningitis, metabolic disturbances, misery, misinformation, mistrust, molecular signals for fever and inflammation, Mononegavirales order, mortality rate high, mourning, mucosal & visceral hemorrhaging, multiple organ dysfunction syndrome, muscle pain, mutation of virus, myalgia, mythical literature, mythology,

nausea, nauseous, nervousness, neutralizing antibodies, no confidence, nuclear import impacted, nucleocapsids, nucleo-protein concentration,

obtundation, occult cures, ocular bleeding and impairment, ongoing muscle and joint pain, onset symptoms, onset of clinical symptoms, oral rehydration therapy, orchitis, organs damaged, Outbreak film, outbreaks, Outsmart Ebola Together,

packed red blood cells, platelets or fresh frozen plasma for therapy, pain

management, painful, painfully fearful, panic attack, paranoid, parotitis, peak infectivity of virions, petechiae, petrify, pharyngitis, phobias, pigs infected and contagious without symptoms, plague, platelet disorders, poisoning, polymerase chain reaction, poor clotting factors increase bleeding, potential virus hosts, potions, primates infected and contagious without symptoms, procoagulants, programmed cell death, prolonged prothrombin time, partial thromboplastin time, and bleeding time, promising vaccine candidates, prostration with heavy articulations, protracted recovery, psychosis, purified serum therapy from survivors, purpura,

Q fever, quarantine, quickly spread through body, rapid evolution death, rash, Ravn virus, reign of terror, regulators of coagulation, rehydration, relapsing fever, release of chemical signals, renal syndrome, Reston ebolavirus, retrosternal abdominal pain, Ribavirin, rickettsial diseases, riots, RNA interference drug,

sadness, saliva, mucus, vomit, feces, sweat, tears, breast milk, urine and semen carry ebola viruses, Sarepta meds, scared, scrub typhus, scytovirin, secondary infections, secreted glycoprotein, selective estrogen receptor modulators, sepsis, sequelae, severe illness, shaman, shamanism, shigellosis, shock from loss of blood volume, shortness of breath, sickly, side effects of meds, simian hemorrhagic fever virus, similar to Non-infectious diseases, similar to other infectious diseases, skin peeling, skin rash red with small bumps, small soluble glycoprotein synthesized, snake envenomation, sorcerer, sorcery, sore throat, sorrow, sorrowful, spell casting, spread through large droplets, spreads direct contact with body fluids, stigma of ebola, stress, strike terror, structural proteins of EBOV interfere, SUD-V, Sudan ebolavirus, sudden death, sudden severe headache, suffering, superstitions, surface protein infection, suspicion, swelling, symptomatic treatment, synthesis of Ebola virus glycoprotein,

Tai Forest ebolavirus, Tekmira meds, terrify, terrified, terror-stricken, Tetrandrine, The Coming Plague book, The Hot Zone book, thrombotic thrombocytopenic purpura, TKM Ebola, toremifene, traditional healers, transformer proteins, travel bans, Triazavirin, Triazoverin, trimeric complex, trypanosomiasis, type 1 interferons released, typhoid fever, typhus, typical hemorrhagic manifestations,

unprotected or unsuitably protected contact, uveitis, V24 protein blocks the production of these antiviral proteins, vaccine candidates, vaccine trials, Vaccines, vascular instability, verapamil, very high case fatality rate, vesicular stomatitis Indiana virus, village healers, viral antibodies, viral cytopathic effects, viral exanthema, viral hemorrhagic fever, viral hepatitis, viral proteins, Viral replication, viral RNA, virological taxon, virus in bloodstream and lymphatic system, visceral leishmaniasis, vision problems, vomiting, vomiting blood, VSV-EBOV,

warfarin poisoning, weakened immune response, weakness, Weaponization, weight loss, White Ebola song, whole blood therapy from survivors, widespread bleeding, widespread infections, witch doctors, witchcraft, worry, Zaire ebolavirus, Zee-Bov, Zed-MAB, Zed-Mapp, zoonotic pathogen,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give you all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

**Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org**