List of SSRI Effects Spirits for MD

widespread use of antidepressants in new SSRI-era, 2C family, 5-HT2Ay overactivity, 5-HT pro-drugs, abdominal distension, abnormal brain states, Abnormal Dreams, abnormal personalities, Abnormal Thinking, abnormally extreme emotions, abrupt cessation, abrupt interruption therapy, Acting aggressive, acting on dangerous impulses, active metabolite, acute pharmacological action of meds, adaptation phase, & theory, addictions, Adhyperforin, adverse drug reaction, adverse effects, Advil, affect newborns, affect reuptake inhibition of serotonin & norepinephrine, aggression, aggressiveness, agitation, agomelatine, agoraphobia, akathisia, Alaproclate, alcohol use, alcohol Abuse, alcohol mixed with meds, alcoholism, Aleve, Allosteric serotonin reuptake inhibitor, alprazolam, altering hormones, alteration of neuronal activity in central nervous system, altered brain, altered mind, altered thinking, ambien, Amitifadine, amitriptyline, Amnesia, Amoxapine, Anafranil, analgesic, anorexia nervosa, anorgasmia, antidepressant withdrawal aids, Anti-inflammatory, antiarrhythmic agents, antidepressant activity, Antidepressant Nightmares, antidepressant withdrawal symptoms, antidepressant-associated mania, antidepressantassociated psychosis, antidepressants, antipsychotic diphenylbutylpiperidine derivative, anxiety, anxiety related disorders, appetite changes, Aropax, arson, Asentra, Aspirin, ASA, Attempted Murder, Attempted suicide, auditory hallucinations, autism, autoimmune hypersensitivity, autonomic dysfunctions, Azapirones,

balance of neurotransmitters in brain a biological regulator of mental health, balance problems, barrier to discontinue drug, being angry, Benzodiazepine withdrawal syndrome, benzodiazepines, beta blockers, Bicifadine, Bicyclic antidepressants, binge eating disorder, Biological psychiatry, Biopsychiatrists, Biopsychiatry, Biosynthetic serotonin, bipolar disorders, bipolar episodes, birth defects, bizarre behavior, bizarre dreams, black box warning, bleeding easily, blood pressure fluxuation, brain pulse-waves, brain shivers, brain shocks, brain zaps, Brasofensine, bruxism, bulimia nervosa, bupropion,

carbamazepine, cardiac abnormalities, cardiac problems, cardiac toxicity, Cardiovascular problems, & side effects, cataplexy, Celebrity Cases, Celepram, Celexa, change in bodyweight, changes in blood volume of brain, changes in sexual behaviour, chemical imbalances, Chemical synapse, Chlorphenamine, chronic health problems, chronic pain, Cianopramine, ciclosporin, Cipralex, Cipram, Cipramil, circulatory thoughts, cisapride, Cital, citalopam, citalopram, Citox, clearance of drug faster than brain readjusts, clinical depression, clinically significant distress or impairment, clomipramine, & withdrawal symptoms, Clovoxamine, clozapine, Clozaril, CNS depressants, co-existing depressive disorders, Cocaethylene, Cocaine, cognition, cognitive disorders, cognitive dysfunction, cognitive therapy, coitus, coma, combat fatigue disorders, combat stress disorders, concentration difficulties, confusion, congenital malformations, Contraindications, cough suppressants, coomadin, cranial zings, Craving alcohol, Craving drugs, Cravings, Criminal Cases, cronic fatigue syndrome, cronic post traumatic shock, & stress disorders, crying spells, Cyanodothiepin, Cymbalta, Dalsan, dangerous interactions of mixing meds or with alcohol,

dapoxetine, deceiving tv ads, decreased concentration, decreased libido, depersonalization disorder, delirium, Delusions, Deparoc, dependancy, dependence producing properties, depersonalization, Depex, Depress, depressed, depression to mania swings, depressive disorders, Deroxat, Desoxypipradrol, Desvenlafaxine, dextromethorphan, diarrhea, diazepam, Dichloropane, Diclofensine, difficulty initiating, difficulty sleeping, digoxin, Dilantin, dimentias, diminish effects of tryptamines, diminished libido, Diphenhydramine, Dipsomania, discontinuation of meds, reaction, & syndrome, disturbing withdrawal symptoms, diuretics, Divarius, dizziness, dopamine addiction, dopamine dependency, dopamine reuptake inhibitor antidepressant, dose reduction reaction, down-regulated receptors in hypoactive state, downstream effects on neurotransmitter systems, norepinephrine, dopamine, and GABA, drastic drop in serotonergic activity, drowsiness, drug abuse, drug addiction, drug dependence, drug interaction, drug miss-use, drug tolerance to need more, dual uptake inhibitor, Duloxetine, Dumyrox, dysphoria, dysphoric mood, dysthymia,

early life overstimulation of 5-HT1 receptor that regulates serotonin production results in low serotonin production after puberty, Eating disorders, Eclanamine, ecstasy, Efexor, Effexor, efficacy of antidepressants, ejaculatory anhedonia, Elavil, Electric shock sensations, electric shock-like sensations, electro-chemical imbalances, electrophysiological changes in 5-ht receptor in brain, eliminate serotonergic effects of MDxx or MDMA, elimination half-life of drug, Emocal, emotion swings, emotional Instability, emotional lability, Endep, entactogens, eosinophilia-myalgia syndrome, escitalopram, Esertia, Esipram, excessive anxiety, excessive diarrhea, excessive sweating, excessive tiredness, excessive worry, extensive serotonergic innervation, extracellular concentration of serotonin in brain decreases dopamine & norepinephrine, extremely distressing, extremely vivid, or strange dreams,

fatal serotonin syndrome/toxidrome, fatigue, Faverin, Favoxil, fearful, feeling faint, Femoxetine, Fevarin, flecainide, flickers, flood presynaptic autoreceptors, Floxyfral, flu-like symptoms, Fluctin, Fluox, Fluoxetine, & as intervention, Flutop, fluvoxamine, Fontex, forget-fullness, functional impairment,

gait instability, gastrointestinal symptoms, Generalized anxiety disorder, genital anesthesia, loss or decreased response, G I bleeding, global downregulation of serotonin receptors in response to increased levels of serotonin in synaptic cleft, Gradual discontinuation, grief, grief trauma,

Haldol, Hallucinations, hallucinogens, haloperidol, Hamilton Depression Rating Scale, hazardous effects, head shocks, headache, helplessness, hemmoraging, herbal Saint John's wort, high pressure in newborn's lung blood vessels, high risk of withdrawal symptoms, highly protein-bound meds, Highly Publicized Cases, homicides, hopelessness, horrific nightmares, night terrors & horrors, hostility, hyperactivity, Hyperforin, hypnosis, hypnotherapy, hypnotic mind control, hypomania,

iatrogenic issues of sexual dysfunction, Ibuprofen, Ifoxetine, Imigran, imipramine, Imitrex, immunomodulation, immuno-modulatory, impaired concentration, impotence, improper balance of neurochemicals, impulsive actions, & use, impulsivity, impure L-tryptophan supplements, inappropriate

antidiuretic hormone hypersecretion Syndrome, incompetance, incontenance, increase blood levels, increase extracellular serotonin, increase risk of seizure, increase serotonin syndrome, increase toxicities of SSRI, increased depression, increased anxiety, increased or reduced sweating, increased risk of bone fractures, increased risk of serotonin syndrome/toxidrome, increasing serotonin in synaptic cleft, indalpine, Indatraline, indecision, indecisiveness, Inderal, induce programmed cell death in Burkitt lymphoma and the brain tumors neuroblastoma and glioma, induces miscarriages, inhibiting reuptake into presynaptic cell, inhibition of dopaminergic neurotransmission, insomnia, intense dreams, interactions of mixing meds, interfere & reduce efficiency of SSRI, interfere with ligands of 5-HT receptors, interfere with normal social, occupational, or other functioning, interruption of meds, intolerable side effects, intracranial bleeding, irregular blood pressure, irregular heart rate, irritability,

Journal of Psychiatry, junctional rhythms, juvenile suicide,

kidney damage, kidney disorders, kidney failure, Kleptomania,

Ladose, Lepidium meyenii, lethargy, Levomilnacipran, Lexapro, light-headedness, like original illness, Lilly test trials, lipophilic, lithium, Litoxetine, Liver damage, Liver failure, Liver impairment, long half-life med, long term behavioral problems, & relapse risk, long-lived withdrawal, loss of appetite, Lovan, low oxygen, lowers seizure threshold, Loxamine, LSD, Lubazodone, Lustral, Luvox, maca,

made from amino acid tryptophan, major depression, major depressive disorder, major withdrawals, Male E D, malingering post traumatic shock, & stress disorders, mania, manic depression, manic depressive state, Manic Reaction, MAOI meds, Maternal SSRI use, MDMA, memory problems, mental disorder, mental health issues, mental symptoms, meperidine, Meridia, Mesembrine, methylene blue dye, Methylone, metoprolol, mild-moderate intensity, military post traumatic shock, & stress disorders, Milnacipran, mimic serious illness, mind altering meds, & painkillers, mind control, mind racing, mind occult, mirtazapine, miscarriages, missed doses, & effects, moclobemide, Monoamine Hypothesis, Monoamine oxidase, & reuptake inhibitors, mood lability, mood swings, moody, Motivest, motor deficits,

Movox, multiple drug interaction, Murder, Murder-Suicides, mydriasis, myocardial infarction.

Naphyrone, Naproxen, nausea, or emesis, nefazodone, Nefopam, Neonatal abstinence syndrome, neonatal clomipramine, neonatal complications, neonatal convulsions, neonates withdrawal syndromes, Neoral, nerve growth factor changes, neurological deficit, neuroprotection, Neuropsychological changes in infancy, neurotoxicity, neurotransmitter serotonin, newborn babies withdrawal syndrome, newborn behavioral syndrome, nighthorrors, nightmares, nightterror, nighttraumas, no hope, non-psychiatric reactions, non-selective inhibitors, non-SSRI antidepressants, Noradrenergic antidepressants, Norepinephrine reuptake inhibitor, Norepinephrine-dopamine reuptake inhibitor, Noribogaine, Normud, N-SAID drug family, Nurofen, Nymphomania,

Obsessive compulsive disorder, Olanzapine, Omiloxetine, on-demand sertraline, Orap, orthostatic hypotension, over spending, over-excited immune system, overactivity, overdose & death,

Pain meds, mind altering, panic attacks, panic disorders, Panuramine, paraesthesia, paranoia, Paranoid Reactions, paresthesias, Paroxat, paroxetine, pause-squeeze technique, Paxil, persistant depression, persistent arousal syndrome, persistent pulmonary hypertension, & of newborns, personality disorders, pethidine, Pexeva, pharmaco-dynamic factors, pharmaco-kinetic factors, pharmacological effect on immune system, phenethylamines, Phenyltropane, phenytoin, photosensitivity, Physical Dependence, physical symptoms, pimozide, pins & needles sensations, platelet dysfunction, poisoning, poor judgment, post discontinuation problems, post operative bleeding, post traumatic shock, & stress disorders, Post-SSRI sexual dysfunction, post-withdrawal symptoms, Postpartum Cases, postpartum depression, potential severity, prenatal SSRI exposure, Priligy, Pristiq, Prodep, prolonged withdrawal syndrome, propafenone, propranolol, Propulsid, provoke panic attacks, Prozac, pseudoephedrine, psilocybin, psychedelics, psychiatric adverse effects, psychiatric disorders, psychiatric illnesses, psychiatric indications, psychiatrist, psychiatry, psychoactive drugs, psycho-analysis, Psychological symptoms, psychologist, psychology, psychosis, psychotropic drugs, pulses,

pupil dilation, Pyromania,

Radafaxine, rapid tapering, rational drug design, readjustment of neuroreceptors, Recital, reduced vaginal lubrication, Remeron, restlessness, Reuptake inhibitor, reward anticipation, Rexetin, risk of self-harm ideation, risk of toxicities, Road Rage Cases, Road Rage incidents, Road Rage tragedies, rostral anterior cingulate Cho/Cre metabolite ratio decrease, rostral anterior cingulate cortex dysfunction, Rythmol,

SSRI horror Stories, sadness, Sarafem, School Shootings, school & violent Incidents, second generation antidepressants, seizures, selective serotonin re-uptake inhibitors, & enhancers, self destruction, self hatred, self mutilation, self-help activities, self-help programs, self-help therapy, selfishness, sensory disturbances, Sepram, Seproxetine, Sereupin, serious cardiovascular side effects, Serlain, Seromex, Seronil, Seroplex, Seropram, Seroxat, serotonergic antidepressants, serotonergic discontinuation, & withdrawal syndromes, Serotonin reuptake inhibitor, serotonin syndrome, serotonin toxicity, Serotonin-norepinephrine reuptake inhibitors, serotoninnorepinephrine-dopamine reuptake inhibitors, serotonin-specific reuptake inhibitor, Seroxat, sertraline, severe depression, severe restlessness, severe toxicity, severe withdrawal, Severe Inner Restlessness, severe serotonin syndrome/toxidrome, severity of withdrawal, sexual dysfunction, shock-like sensations, or paresthesia, shorter halflife meds, sibutramine, side effects, sildenafil, sinus tachycardia, sleep changes, sleep Disorders, sleep disturbances, slowed thinking, slowly tapering antidepressant therapy, SNRI antidepressant meds, SNRI serotonin & norepinephrine reuptake inhibitors, social anxiety disorder, Soldier SSRI Cases, somatic disease, somatic symptoms, somnolence, sorrow, sorrowful, spontaneous abortion, SSRI cessation syndrome, SSRI discontinuation syndrome, SSRI withdrawal syndrome, SSRI-induced mania, SSRI-related withdrawal syndrome mimicking depression, stroke, Stroke recovery, Sudafed, sudden acts of violence, suicidal attempts, suicidal behavior, suicidal ideation, suicidal risk, suicidal threats, suicidal warnings, suicidal, suicidality, Suicides, sumatriptan, sweating proficiently, sympathomimetic drugs, synergistic serotoninergic effect,

Tambocor, Tametraline, Tandamine, taper therapy, tapering, Tegretol,

Tesofensine, Tetracyclic antidepressants, Tetrahydroharmine, Theo-dur, theophylline, therapeutic interventions, thoughts of suicide, tianeptine, tinnitus, titration, Tofenacin, tolerance, Toprol, toxic dose, toxins, tramadol, Tramadol hydrochloride, trauma, traumatic shock, & stress disorders, Trazodone, tremor, Tresleen, Tricyclic antidepressants, trigeminy, trigger bipolar episode, triggering distressing and hellish quality dreams, triptans,

Ultracet, Ultram, uncontrolled thoughts, uni-polar depression, Upstene, Valium, Venlafaxine, vertigo, Viibryd, Vilazodone, violence, violent, violent actions, visual hallucinations, visual disturbances, vomiting, Vortioxetine,

warfarin, water pills, weakened penile, vaginal or clitoral sensitivity, weight loss, or gain, Wellbutrin, withdrawal phenomena, withdrawal symptoms, Withdrawal syndrome, Women Teacher Molestations, Workplace Violence, worrisome thoughts, worse than original condition, worsening of depressive symptoms, worsening of mood,

Xanax, Xetanor, yohimbe, Zelmid, zimelidine, Zoloft, zolpidem, Zyban,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give you all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org