

List of Developmental Disabilities Spirits for MD

abuse of all kinds, child abuse, emotional abuse, elder abuse, family abuse, mental abuse, parental abuse, physical abuse, sexual abuse, societal abuse, spousal abuse, spiritual abuse, systemic abuse, verbal abuse, etc, abuse by family members, counsellors, ungodly pastors, support workers, etc,

A D D, A D H D, A D H D Hyperactive-Impulsive, A D H D Predominantly Inattentive, A D H D combined Types, abnormal oversensitivity, abnormalities of brain development, absence of cognitive processing, Absent-minded, Absent-mindedness, academic failure, Acalculia, Achromatopsia, acquired brain injury, act without thinking, activation deficits, Adderall, addiction disorder, Additude Magazine, adrenergic neurons disorders, Adult A D H D, Affection linguistics, affective disorders, Ageometria, aggression, aggressive, aggressiveness, Agnosia, Alagille syndrome, alcohol abuse, & related birth defects, Alexia, Alexithymia, allergies, Allography, aloof, aloofness, Alphabetic diacritics, & principle, Alternative medicine, Alternative therapies, Amygdala neurons, Angelman syndrome, anhedonic, Anomic aphasia, anorexia nervosa, antisocial personality disorder, anxiety, anxiety disorders, anxious, anxiousness, Aphasia, Aphasiology, Apologetic apostrophe, apperceptive agnosia, apraxia a motor planning disorder, Apraxia of speech, arousal deficits, articulatory dyspraxia, Asemia, Asperger syndrome, associative agnosia, attention deficit disorder, Attention deficit hyperactivity disorder, attentional blink, attentional failures, attentional shift, Audiometry, auditory oversensitivity, auditory processing disorder, Autism, autism spectrum disorders, autistic enterocolitis, Autoimmune diseases, Aversive therapy, avoid eye contact,

behavior complex disorder, behavior modification methods, behavioral symptoms, behavioral therapy, Binder's syndrome, binge eating disorder, Bipolar disorder, birth defects, blackout, borderline personality disorder, Borna disease virus, Bowel diseases, brain cancers, brain damage, brain

infection, brain lesions, brain messages scrambled, brain tumors, brain-derived neurotrophic factor, brainstem dysfunction, breakdown in self control, brominated flame retardants, brute, brutish, bruxism, bulimia nervosa,

casein allergy, casein-free diet, cerebral palsy, cerebroatrophic hyperammonemia, Change blindness, Change deafness, change detection, childhood apraxia of speech, Childhood Autism, Childhood disintegrative disorder, childhood immunization reaction, childhood-onset dysexecutive syndrome, Chiropractic therapy, choice impulsivity, chorea, chromosome abnormality, chronic dysphoria, chronic neurological disorder, Circumstantial speech, citalopram, clinical depression, clumsy child syndrome, cluster of impairments, Cluttering, cognitive behavior, & therapy, cognitive deficits, cognitive depletion, cognitive developmental delays, Collation, colour agnosia, Comorbid conditions, & learning disabilities, compulsive, compulsive buying, compulsive overeating, compulsiveness, Compulsivity, Concerta, conduct disorder, Conduction aphasia, confounding sociocultural factors, confuse letters, confuse sounds, congenital maladroitness, Congenital rubella syndrome, Congenital variant of Rett, constant motion, contingency management, contingency motivational enhancement therapy, core cognitive deficit, Cornelia de-Lange syndrome, Craniosacral therapy, Cross-laterality, ambidexterity, and a shift in the preferred hand, Cyrillic digraphs,

D A M P, D C D, D T D, damaged Purkinje cells, Dash around & do all in sight, daydreamy-spacey, de-novo mutation in children, Deafness, Deep dyslexia, Deficits in attention, Deficits in motor control, Deficits in perception, Deficits in executive functions, etc, dehydration, delay aversion deficits, delays in development, Depersonalization disorder, desensitization techniques, Developmental Apraxia, Developmental Co-ordination Disorder, developmental disorder of motor function, Developmental disorders, dysfluency, dysregulation, stagnation, & regression, Developmental Dyslexia, Developmental Dyspraxia, developmental issues walking, running, climbing, jumping, etc, Developmental topographical disorientation, Developmental verbal dyspraxia, Diacritics, Diet, Difficulties

making speech sounds, difficulties planning, organising, initiating, monitoring and adapting behaviour, etc, difficulty being quiet, still, or waiting, Difficulty relating to people, objects, and events, Difficulty sequencing sounds, Within a word, & Forming sentences, difficulty walking, unco-ordinated, Difficulty with changes in routine, or familiar surroundings, difficulty with sequential tasks, difficulty with tasks, digestive disorders, diminished self-control, Disaffectation, disinterest, disinterested, Disorder of Attention and Motor Perception, disorganized thought process, distance, speed, or depth perception issues, distortion of hearing, dopamine receptor disorders, dopamine, glutamate, or serotonin, abnormalities, Dore Programme, Down syndrome, DRD4 gene morphism, Dysacusis, Dysarthria, dyscalculia, Dyscravia, dysexecutive syndrome, dysfluency, dysfunction in emotions, dysfunction in interpersonal relating, Dysgraphia, Dyslexia, Action, & interventions, Dyspraxia, Dysprosody, Dysthymia, dystonia,

early childhood abuse, early childhood trauma, early epilepsy variant of rett, easily confused, easily fatigued, easily tired, Echo vowel, Educational psychology, & therapy, electro-chemical imbalance in brain, Electro-convulsive therapy, emotional outbursts, encoded proteins malfunction, Endopheno type, Environmental agents, Environmental causes, epilepsy, ethanol, Excessive stress, exclusion of emotion, Executive dysfunctiondeficits, Executive function deficits, exposure of fetus to alcohol, crack, illegal drugs, misoprostol, thalidomide, valproic acid, etc, Expressive aphasia, & language disorder,

failure to develop Amygdala neurons, failures in awareness, Familial factors, fast action in childrens' shows, cartoons, & educational shows, etc, fears of all kinds, fetal alcohol syndrome, fibromyalgia, Fidgetting, Fidgetty, fine motor co-ordination problems, flavonoids, flicker paradigm, Forced choice detection paradigm, Foreground-background segregation mix-ups, Foreign accent syndrome, forget instructions, forget quickly, forgetful, fragile X syndrome, frustrated, frustrations, fuel exhaust, Functional disconnection, Functional dyspepsia,

gastrointestinal abnormalities, Genetic problems, Germline mutations, Gerstmann syndrome, gestational diabetes, get lost easily, Gilliam

Asperger's Disorder, Global aphasia, gluten allergy, gluten sensitivity, Gluten-free diet, Graphemes, gross motor coordination issues,

hair pulling disorder, Haloperidol, Hanefeld variant of rett, heavy metals, Heptagraph, Hereditary, herpes virus family, Heterography, Hexagraph, High-functioning autism, homography, Homophony writing difficulty, hyperactive, extroverted, obtrusive, and risk takers, Hyperfocus, hyperkinetic disorder, hypertension, hypoactivity, Hypokalemic sensory overstimulation, Hypoplasia, Hypothyroidism, hypotonia, hypoxia,

ideational dyspraxia impairment, ideational linguistic impairment, ideational phonological impairment, ignored, ignoring child, immune disorders, immune-mediated diseases, impaired locus coeruleus–noradrenergic system, impaired tactile perception, impaired theory of mind skill, impatience, impatient, Impulse buying, Impulse control disorders, Impulsions, Impulsive actions, Impulsive behaviour, Impulsive overeating, Impulsivity, inability to hear sound changes, inability to focus mind, inability to generate cognitive map, inability to recognize faces, Inattentional Amnesia, Inattentional Blindness, inconsolable crying, Infantile neuroaxonal dystrophy, Infantilism, infections of brain, infectious diseases, & processes, inflammatory bowel disease, inhibited, inhibition, intense craving for addiction, intense craving for emotion, intense craving for love, intense craving for stimulation, intermittent explosive disorder, irritable bowel syndrome,

Jargon aphasia, Kleine-Levin Syndrome, kleptomania, Klinefelter syndrome,

L S D, lack energy, lack motivation, lack of attention, lack of eye contact, lack of emotional reciprocity, lack of facial responses, lack of social reciprocity, lacks internal coherence, lacks external discriminative validity, lactose intolerance, lactose allergy, Language disorders, Language orthographies, Language problems, Latent inhibition, Lateral masking, Lead poisoning, Leaky gut syndrome, learning disabilities, lethargic, lethargy, Letter case mix-ups, Letter form mix-ups, Limited Perception, Limited Memory, Limited social interaction, Limited communication skills, little or no fore-thought, Logopenic progressive aphasia, loner, long QT syndrome,

loose track of time, lose self control, lose things easily, loss of speech, Low arousal theory, low birth weight, low folic acid, low iodine, low norepinephrine, low vitamin D, low muscle tone, low strength, low endurance, Low Response Rate, Lucid dreaming, M E C P2 disorders, M M R vaccine, M R D D, major depressive disorder, malnutrition, manic depression disorder, manifest emotional outbursts, Maxillo-Nasal Dysplasia, meditation, melatonin, memory retrieval trouble, Mendelian genetics, mental foggy, or retardation, Mentalism, mercury poisoning, mercury thiomersal, metal poisoning, Methylphenidate, microcephaly, Midbrain dopaminergic disturbances, midfacial hypoplasia, migraine headaches, mind blinding, mind blocking, mind control, mind occult, Mind-wandering, Minimal Brain Dysfunction, misunderstand instructions, misunderstanding, mix left & right, & directions, Mixed receptive-expressive language disorder, Mixed transcortical aphasia, Morphophonology, most herbicides, Motor clumsiness, coordination issues, & developmental delays, Motor Learning Difficulties, Motor skills, & speech disorders, Multigraphs, & Multilingual orthographies, multiple sclerosis, Multiple-complex Developmental Disorder, Multisystem Developmental Disorder, muscular dystrophy, Music therapy, mute, Muteness, nausea, nausius, neglected child, neurodegenerative diseases, Neuroinflammation, neurological developmental delays, neurological diseases, neurological disorders, Neurotypical, no acquisition of graphemes, no acquisition of letters, no acquisition of numbers, not consideration consequences, Nonverbal learning disorder, norepinephrine problems, not ambulatory, not remember deadlines, Obsessive-compulsive disorder, occult in childrens' shows, cartoons, & educational shows, etc, Olfactory, Opiate Theory, oppositional defiant disorder, Orientation Agnosia, Orthographic depth, Orthographic rules, Orthographic transcription disorders, Orthography, Overactive disorder, oxidative stress, P C B's, P D D, Pantomime Agnosia, paracetamol, acetaminophen, or Tylenol after M M R vaccine, Paragrammatism, Paraphasia, parental coldness, or ignoring child, Pathological demand avoidance, Patterning

therapy, Pediatric bipolar disorder, Pediatric manic-depression disorder, peer pressure, Pentagon, perceptual blindness, Perceptual over-Load, Perceptual noise exclusion hypothesis, Perceptuo-motor dysfunction, Perinatal environment, Perinatal risk factors, personality disorders, Pervasive developmental disorders, pesticides, Phobias, phoneme-to-grapheme conversion process disorder, Phonemic orthography, Phonogram mix-ups, Phonological deficit, & dyslexia, phenols in plastics, phthalates in plastics, physiological disorder, Pivotal response therapy, pointing behavior, Pontine noradrenergic deficits, poor attention span, poor balance, poor motor planning, poor timing, poor muscle tone, poor proprioception, poor short-term memory, poor spatial, and temporal resolutions with scents, post war stress disorder, post-traumatic shock disorders, post-traumatic stress disorders, posterior attention network impairment, Postnatal environment, pre-frontal cortex dysfunction, premature birth, Prenatal environment, Prenatal exposure to alcohol, drugs, cytomegalovirus, german measles, nicotine, or rubella, Prenatal risk factors, Prenatal stress, Pressure of speech, primary alexithymia, Primary progressive aphasia, problematic, problems carrying out sequential tasks, Problems Learning basic movement patterns, Problems with proprioception, Problems with spatial awareness, Procrastinate, Procrastination, Progressive nonfluent aphasia, prolonged elevations of autonomic nervous system prolonged elevations of neuroendocrine systems, prone to panic attacks, Prosopagnosia, psychiatric diseases, psychiatric disorders, psychoanalytic psychotherapy, psychogenic alexithymia, & theories, psychological mindedness, psychopathological disorders, Psychosocial risk factors, psychosomatic illness, Pure alexia, pyromania,

Rain & more TV for children, Rapid Visual Imaging, Reading disability, Reading process interfered, Receptive aphasia, Refrigerator mother, Regressive autism, reject, rejected, rejecting, rejection, rejection from the womb, relapse prevention, repetition blindness, Repetitive behavior patterns, Repetitive body movements, response impulsivity, restricted imagination, restrictive predominantly inattentive, Rett Complex, Rett syndrome, rigidity, ritalin, & side effects, Rolando variant of rett, R T T disorders, Rubinstein-Taybi syndrome, S S R I meds & side effects, Savant

syndrome, Scanning speech, Scotopic sensitivity syndrome, screaming fits, secondary alexithymia, Secretin, see letters backwards, see letters inverted, see letters in different order, see world in slow motion, Seizures, selective serotonin reuptake inhibitors, Selective topographical disorientation, self-harming behaviors, self-help books, Semantic dementia, & dyslexia, Sensorey-motor dysfunction, sensory integration disorder, & therapy, sensory overload, sensory problems, sensory processing disorder, sensory-induced panic attacks, serotonin receptor disorders, severe learning disability, sexual disorders, short attention span, short-term memory problems, shy, shyness, skin picking disorder, sleep aids, sleepiness, sleepy, sloppiness, sloppy, Slow language development, slow learner, slow movement, slow processing speed, slow processing reaction times, slow response, sluggish cognitive tempo, sluggish-lethargic, social anxiety disorder, Social construct theory, social intrusiveness, social phobics, social withdrawal, Sociological, and cultural aspects, solvents, somatic diseases, & mosaicism, Somatization disorder, Somatosensory amplification, spasticity, spatial scaling distorted, specific developmental disorders, & of Motor Function, Specific language impairment, Speech and language impairment, Speech disorder, speech production disorders, speech sound disorders, Spelling disorders, Spelling reform, Spelling pronunciation mix-ups, spontaneous mutations, Sporadic mutations, squirming in seat, stammer, stammering disorder, staring into space, Stem cell therapy, stereotyped movements, Stilted speech, String collation algorithms, stutter, stuttering disorder, sub-consciously not perceive change, Substance use disorder, succumbing to the urge, Sunflower therapy, Supervisory attentional system, Surface dyslexia, Surname stroke order, sympathetic nerves disorders,

T E A C C H, Tangential speech, Tangentiality, teenage heart trouble from ritalin, temporary loss of consciousness, tendency to act on a whim, Teratogens, Tetragraph, Therapies, thyroid dysfunction, thyroxine deficiency, toe walking, temporary A D D, Tone deafness, too fast action in childrens' shows, cartoons, & educational shows, etc, Tourette syndrome, toxic chemicals, toxicity, Transcortical motor aphasias, Transcortical sensory aphasias, trans-cranial signal interruptions, trichotillomania,

Trigraph, Tripping over feet, trouble sitting still, Tuberous sclerosis,

Unable to be comforted, Unable to cuddle, unable to derive verbal instructions used in navigation, unable to distinguish important from unimportant information quickly, unable to form a cognitive map, unable to identify landmarks, unable to read a map, unable to retain a previously learned path, unable to self-regulate, unco-ordinated, under-aroused state, under-sensitivity, Unicode collation algorithm, unstable trinucleotide, Unusual playing, use of psychiatric drugs,

Vaccines, & overload, various coping strategies, very impatient, vietnam vets, & post war trauma, & stress, viral infection, Visual agnosia, Visual masking, Visual neglect, Visual thinking, visual-spatial memory struggle, Vitamin B12, & D deficiencies,

war vets, & post war trauma, & stress, water in ear, hearing, & speech distorted, or delayed, Williams syndrome, withdrawal, withdrawn, working memory deficit, working memory limitations, working memory training, writing disorder, Xinhua Zidian radicals, Zappella variant of Rett,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give You all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

**Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org**