

List of Emotional Spirits for MD

abuse of all types, child abuse, elder abuse, emotional abuse, institutional abuse, mental abuse, parental abuse, psychological abuse, physical abuse, religious abuse, self abuse, sexual abuse, societal abuse, spiritual abuse, spousal abuse, systemic abuse, verbal abuse, etc, alcohol abuse, canniboid abuse, cannibis abuse, drug abuse, fentinol abuse, hallucinogens abuse, illegal drug abuse, illicit drugs abuse, inhalants abuse, medicines abuse, opiod abuse, psychoactive substances abuse, stimulants abuse, street drug abuse, THC abuse, etc,

abnormal level of neurotransmitters, abstract processing, abstract recollection of memories, abuse of alcohol, or other psychoactive substances, achieve happiness, aching joints, acquired disorder, Active mood management, acute anxiety, advanced paternal age, affective changes tension, affective disorder, affective flattening, Affective forecasting, affective instability, Affective spectrum, Aggravate, Aggravated, Aggravation, aggression, aggressive impulses, aggressiveness, Aging and emotional memory, agitate, agitated, Agitation, agonize, agonizing, Agony, agoraphobia, anguish, Alarm, Alarmed, Alarming, Alcohol-induced psychosis, Alienation, alogia, Alzheimer's disease, amnesia, Amygdala affect reward, Amygdala affect fear, Amygdala affect social functions, Amygdala affect mating, Amygdala hijack, anger, angry, angry outbursts, angst, Anguish, anhedonia, annoyance, annoyed, annoying, anorexia, anterograde amnesia, anti-convulsants, Anticipation, antidepressants, antipsychotics, antisocial, antisocial personality disorder, anxiety, disorders, anxiolytic meds, anxious, anxious moodiness, anxiousness, apathy, Apex effect, Apprehension fear, Arousal and valence in memory, assertive, assertiveness, Attachment theory, Attachment therapy, attention narrowing, attentional blink, atypical antipsychotics, atypical depression, & antipsychotics, auditory hallucinations, autism spectrum disorders, Autism, autobiographical elaborative processing, automatic failure mechanism, Avarice, Aversion, avoid, avoidance, avolition, Axis 1 impulse control disorders,

bad dreams, bad mood, base emotions, Basic emotions, behavior outbursts, Behavioral mood repair strategies, behavioral problems, Behavioural activation therapy, Behavioural disorders, Behavioural therapy, Behavioral theories, behaviors consistent with each mood state, below mania, Biology of depression, bipolar disorders, Bipolar spectrum, Bipolar diagnostic scale, bitterness, & roots of bitterness, Blunted affect, body-mind intervention, body-mind relationship, body-mind therapies, borderline personality disorder, bored, boredom, Brain cancers, Brain chemistry, Brain injury, Brain trauma, brief psychotic disorder, bright-light therapy, bully, bully-ed, bullying,

cannabinoids, cannabis, Carbamazepine, catatonic behavior, catatonic behavioral disorder, change in motor activity, change in perception, child abuse, child neglect, christian scientist, Chronic anxiety, chronic maltreatment, Chronic stress, claustrophobia, claustrophobic, circadian rhythm delay, Circle of Courage, circulatory reasoning, circulatory thoughts, climacterium, clinical cognitive psychology movement, clinical depression, clowns & comedians very sad, rejected people, cocaine - addictions, & withdrawal, Cognitive behavioral therapy, cognitive restructuring, cognitive therapy, comorbid conditions, comorbid schizophrenia and mood disorder, comorbidity, Complex post-traumatic shock disorders, Complex post-traumatic stress disorders, compulsive defensive systems fail, concrete processing, concrete recollection of memories, condemnation, confirmation bias, conscious control of breathing, constitutional disorder, contempt, contemptuous, Contextual effects of emotion on memory, control mood, co-occurring schizophrenia and mood disorder, cool off time, craving for addictions, craving for chocolate, craving for sweets, Crosspatch, cruel actions, cruelty, crying frequently, Cultural Emotion Expressions, Cultural Emotion phobias, Cultural Emotion emotion syndromes, cyber bullying, cyclothymia,

damage to amygdala, Dawn simulation, daydreaming, dayhorrors, daymares, dayterrors, daytraumas, debilitated, debilitating, decline in ability to experience pleasure, decline in emotional response, decline in motivation, decline in speech, decreased need for sleep, Defeated, Defeatism, deficits in brain's frontal cortices, Dejected, Dejection, delusional disorder, delusions of

bodily change with age, Dementia and emotional memory, denial, depersonalized, Depression, Depressive Disorders, Depressive personality disorders, Depressive realism, Despair, despondency, destroying things, disappointed, disappointing, disappointment, discouraged, discouraging, discouragement, disgust, disgusted, disgusting, disinterest, disinterested, Dislike, Dismay, Dismayed, disordered thought processes, disorders of temporal lobe, disorganized speech, disorganized thinking, disorganized thoughts, despair, Displeased, Displeasing, Displeasure, disproportionate reaction, disrupt explicit memory, Distract, Distracted, Distracting, Distraction, Distress, Distressed, Distressing, divert focus of mood, dizzy, dizziness, don't want to, Doubt, Doubtful, Dread, Dreading, drug-induced hypomania episodes, drug-induced hypomanic episodes, discontrol, dysphoria, Dysthymia,

early psychological trauma, easily distracted, easily upset, eating disorders, Edinburgh Postnatal Depression Scale, Electroconvulsive therapy, elevated mood, Embarrass, Embarrassed, Embarrassing, Embarrassment, Emotion and elaboration, Emotion and encoding, Emotion and memory, Emotion and memory retrieval, Emotion and memory storage, Emotion annotation language, Emotion classifications, emotion laden stimulus, Emotion regulation effects on memory, emotion regulation efforts, Emotion representation language, emotion suppression impairs memory, Emotion work, Emotion-induced forgetting, emotion-memory relationship, Emotional abuse, Emotional affect, Emotional and behavioral disorders, Emotional and behavioral disability, Emotional Appraisal, Emotional argument, Emotional baggage, Emotional blackmail, Emotional blunting, Emotional clearing, Emotional competence, Emotional confusion, Emotional conflict, Emotional contagion, Emotional congruence with children, Emotional dampeners, Emotional disabilities, Emotional dysregulation, Emotional exhaustion, Emotional health, Emotional illiteracy, Emotional Intelligence, Emotional interest, Emotional isolation, Emotional issues, Emotional labor, Emotional literacy, Emotional manipulation, Emotional memory, Emotional mood, Emotional reasoning, Emotional security, Emotional self-regulation, Emotional sensitivity, Emotional support, Emotional tyranny, emotional valence dimension, Emotional violence, Emotions and culture, Emotions in

decision making, Empathetic, Empathy, Emptiness, empty emotions, empty feelings, empowerment over emotional state, Endogenous depression, energetic, energy changes frustration, energy therapies, Enforcing feelings of positivity, engage in risky behaviors, engage in thoughts of mood congruence, envious, envy, Episodic dyscontrol syndrome, episodic violence, erratic, Ethosuximide, euphoria, euphoric, Exasperate, Exasperated, Exasperating, Exasperation, excitable, exercise to relieve stress, explicit retrieval, explosive, explosive disorder, explosive outbursts, exposure therapy, Expressed emotion, extrapyramidal symptoms, extreme emotion expressions, extreme expressions of anger, extreme change in emotion, extreme change in mood, extremely competitive, extremely energetic, extremely outgoing,

falling apart emotionally, false happy feelings, false hope, familiar spirits, familiarity, fanatical, fatigue, fatigue unto death, fears of all kinds, feeling rejected, feelings, Ferocity, fickle, find positive perspective, flight of ideas, flight of thoughts, flood of thoughts, fluctuation of mood, focus brain into a positive state, Forgiveness - Socio-Emotional Physics, formal thought disorder, Fornix not carry signals properly, frequent speech derailment, Fright, Frighten, Frightened, Frightening, Frustrate, Frustrated, Frustrating, Frustration, full mania, furious, Fury,

GABA-ergic mood stabilizers, genetic mutations, Geriatric depression, Gloom, gloominess, Gloomy, Glucocorticoids, Glum, Glumness, grandiosity, Gratification, Gratify, greed, greedy, Grief, Grief, trauma, Grieving, grossly disorganized behavior, Grouchy, Grouchiness, group therapy, Grumpy, Grumpiness, guilt, guilt shame, guilty,

habituation, hallucinate, hallucinating, hallucinations, hallucinogens, hate, hated, hating, hatred, headaches, hearing voices, heightened anxiety, heightened emotions, heightened mood, Helpless, Helplessness, hidden emotions, high blood cholesterol, high blood glucose, high blood sugar, high-strung, Hippocampus problems affect long term, & spatial memory, History of depression, Homesick, Homesickness, hopeless, hopelessness, hormonal or teenage ups and downs, hormone changes, hormone imbalances, Horrified, Horrify, Horrifying, Horror, Hospital Anxiety and Depression Scale,

Hospitalism, Hostile, Hostility, Humiliate, Humiliated, Humiliating, Humiliation, Huntington's disease, Hurt, hurtfulness, hyperglycemia, hypersensitivity to emotional stimuli, hypersexuality, hyperthymia, Hyperthymic temperament, hyperthyroidism, hypocondria, hypocondriac, hypocondriacal delusions, hypocondriasis, hypoglycemia, Hypomania, Hypomaniac, Hypomaniac Edge, Hypomaniac episode, Hypomaniac state, Hypomaniac symptoms, Hypothalamic–pituitary–adrenal axis disorder, Hypothyroidism, Hysteria, Hysterical, Hysteroid dysphoria,

impatience, impatient, implicit retrieval, improper blood sugar control, impulse control disorder, Impulsive, Impulsive aggression, impulsive violence predisposition, Impulsiveness, Impulsivity, in harmony with mood, inability to experience pleasure, incoherence, incoherent, increase in psychomotor agitation, increased insulin, indifference, indifferent, induce brief euphoria, Infatuate, Infatuated, Infatuating, Infatuation, inflated self-esteem, inflated view of self, Inositol monophosphatase, Insecure, Insecurity, insomnia, institutional abuse, institutional neglect, Insult, Insulted, Insulting, intense fear, Intentional infliction of emotional distress, interfered social interactions, interfered social relationships, Intermittent explosive disorder, Interpersonal mood repair strategies, Involutional melancholia, Involutional depression, ionized-air administration, irrational, irritable, irritable mood, Irritability, Irritate, Irritated, Irritating, Irritation, Isolation, Isolationist, jealous, jealousy, jumpy, keep emotions hidden inside, Kindling model, kleptomania, Kluver-Bucy syndrome, Kraepelinian dichotomy,

Labile affect, Labile mood, lack of desire, lack of energy, lack of motivation, lack of serotonin polymorphisms, lack of ability to experience pleasure, lack of emotional response, lack of motivation, lack of speech, life of the party, lift overall positivity, light therapy, limbic system diseases, limbic system disorders, Lithium meds, live on the edge, Loathe, Loathing, lonely, lonely music, Loneliness, long-lasting depressions, long-term memory, Longing, loss of motivation, lots of new ideas, Love-shyness, low 5-Hydroxyindoleacetic acid, low blood sugar level, low brain serotonin rate, low mood, low vagal tone, lust, lusting,

Major Depression episode, Major Depression disorder, Major Depression Inventory, mania hypomanic phase, Mania episodes, manic Depression, manic episodes, manic hypomanic phase, manic-depressive psychosis & insanity, manipulate, manipulated, manipulating, manipulation, manipulation check, marked fluctuation of mood, Masked depression, meditation, Melancolia, Melancolic depression, Melancholy, melancholy music, melatonin, Memory of felt emotion, Menopause, Mental abuse, Mental breakdown, Mental disorders, Mental illness, metabolic syndrome, methamphetamine, mild to moderate mania, mind blanking, mind blocking, mind control, mind occult, mind racing, Mindfulness-based cognitive therapy, minor depression, Minor depressive disorder, minor keys music, miserliness, miserly, Misery, Miserable, mistrust, Mixed Anxiety-Depressive Disorder, Modafinil, monoamine oxidase inhibitors, mood attenuation, & through distraction, mood congruence, & effect, mood congruity effect, mood disorders, mood elevators, mood fluctuations, Mood Incongruent Recollection, mood repair strategies, mood repair tools, mood stabilizer meds, mood swings, mood-congruent listening, mood-congruent state, mood-incongruent listening, mood-incongruent state, Mood-state dependent retrieval, more endorphin, more estrogen, more testosterone, Mortification, Mortified, motor tension, mournful moodiness, mournful, mourning, mutation of melanopsin producing gene, Multiple drug regimens, muscle stiffness, music therapy,

negative activation emotions, Negative and forceful, Negative and not in control, Negative and passive, negative feelings, negative moods, negative symptoms, negative thoughts, Neglect, Neglected, Neglecting, Negligence, Negligent, Negligent infliction of emotional distress, neurotic, Nervous, Nervousness, Nervy, night horrors, nightmares, night terrors, night traumas, nihilistic feelings, Nihilism, no emotions, no hope, no hope in God, no outward emotional expression, nonemotional, obsessed, obsessive, obsessiveness, occasional somatic delusions, occasional nihilistic delusions, occupational dysfunction, olfaction, oppositional defiant disorder, oppress, oppressed, oppressing, oppression, optimist, optimistic, outbursts of emotion, Outdoor therapy, Outrage, Outraged, Outrageous, outspoken compulsive character, over confident, over react, over reaction, oxytocin into

brain to calm nerves, & relax muscles,

paleomammalian brain, palsy, panic attack, panic disorder, panicky, paralysed with fear, paralysis, paranoia, paranoid, passive, passivity, Pathognomy, peer pressure, Perceptual disturbances, persistent elevated euphoric mood, persistent and elevated irritable mood, persistent elevated euphoric state, pervasive elevated euphoric or irritable mood, or state, pervasive elevated euphoric mood, pervasive elevated irritable mood, pervasive elevated euphoric state, pervasive developmental disorder, pesimist, pessimistic, pharmacotherapy, phobias of all kinds, pitiful, Pity, pleasurable reaction, polymorphism of tryptophan hydroxylase gene, poor concentration, poor interrater reliability, Positive activation emotions, Positive affectivity, positive confessions, positive moods, positive psychology movement, Positive psychotherapy, positive thinking, positive thoughts, positivism, Post stroke depression, Post-vacation blues, Postpartum depression, Postpartum psychosis, Posttraumatic shock disorders, Posttraumatic stress disorders, Postural Integration, Powerless, Powerlessness, prefrontal cortex lesions, Premenstrual syndrome, pressured speech, pride, pride in self, Prioritized processing, Problem-solving therapies, prolonged exposure stress hormones, Propranolol, proud, Pseudo-dementia, psychiatric disorders, Psychiatric instruments depression, Psychodynamic theory, psychomotor agitation, Psychoneuroendocrinology, psychopharmacotherapy, psychosis, psychosomatic medicine, Psychotherapeutic Postural Integration, Psychotherapy, Psychotic depression, Psychotic disorders, Psychotic features, Psychotic symptoms, pure clinical depression, putative hereditary component, pyromania, pyromanic, racing ideas, racing thoughts, rage, raging , raging maniac, raise self esteem, rapid change in emotion, rapid change in mood, rapid speech, Rating scales for depression, Rational depression, reactive attachment disorder, recall mood-incongruent memories, Recluse, Reclusion, Reclusive, Regress, Regression psychology, Regression, Regret, rejection, rejection sensitivity, Relaxation techniques, Relaxation therapy, release emotional tension, remorse, repressed memories, Resent, Resented, Resenting, Resentment, restless, restlessness, retaliate, retaliated, retaliating, retaliation, Retrieving positive memories, retrograde amnesia, revenge, revulsion, revulsive, reward depression, reward

self, rigid nature, risk-taking behavior, ruminating on issue, rumination on negative thoughts,

sad, sad music, sadden, saddening, Sadness, scared, scary, schizoaffective disorder, schizophrenia, schizophrenia spectrum disorders, schizophreniform disorder, schizotypal personality disorder, Scorn, Scorning, scornfulness, Seasonal Affective Disorder, seasonal depression, selective serotonin reuptake inhibitors, SSRI Meds, selective mutism, Selectivity of attention, self blame, self condemnation, self gratification, self hatred, self love, self punishing, self reward, self-introspection, Self-medication, Self-system therapy, semantic elaborative processing, Sentimental, Sentimentality, serious mood change, serotonin low, sexual inhibition, shame, Shock, side effect of numerous meds, signal emotional relevance, sleep disturbances, slower return to a normal emotional state, social anhedonia, social avoidance, Social anxiety, social dysfunction, social inhibition, social phobics, social support, social withdrawal, social-psychiatric rehabilitation, somatic concerns, Somato-psychic, Sorrow, sorrowful, sorrowful unto death, South African Depression and Anxiety Group, spiritual abuse, Spiritual crisis, spiritual paralysis, Spite, Splitting, spring fever, & tiredness, steroid therapy, stimulants, stoic, stoicism, Stranger anxiety, Stress, Stress disorders, Stress hormones released, Stress Management, Subcortical ischemic depression, substance abuse, substance addiction, substance treatment, substance withdrawal, substance-induced psychotic disorder, Suffer, Suffered, Suffering, suicidal ideology, suicidal tendency, suicidal thinking, suicidal thoughts, suicide, suicide attempts, suicide threats, summer depression, summer blues, Superficiality, Suspense, Sympathetic, Sympathy, Symptoms of victimization,

talkative, temper, temperamental, temporarily distracted, Tension, Terror, Thematic vs. sudden appearance of emotional stimuli, think happy thoughts only, think positive, thoughts consistent with each mood state, threats to kill, throwing objects, tire easy, tired, tiredness, Torment, Trade-off between details, trauma, traumatic shock, Treatment-resistant depression, Treatments for combat-related PTSD, Treatments for PTSD, tremor, Tricyclic antidepressants, trigger an episode, trigger mania symptoms, trigger manic

symptoms, touchy,

ultradian, ultrarapid, unbelief, unbelieving, rage, under react, undesirable mood, Uneasiness, uneasy, undependable, unforgiveness, & roots of unforgiveness, Unhappy, unipolar depression, unipolar endogenous depression, unpredictable, unreliable, unrestrained buying sprees, sexual indiscretions, reckless driving, or foolish business investments, unstability, unstable, unworthiness, unworthy, upheaval, upset,

valproic acid and lithium carbonate, Vengeful, Vengefulness, vengeance, vent emotions, ventilation of emotions, verbal abuse, very charismatic, violence, violent acts, visionary, visual extinction deficit, vocational therapy,

weapon focus effect, Weariness, weary, weight gain, Weltschmerz, winter blues, winter depression, withdrawn, withdrawal from society, Woeful, Woefulness, word faith, Worry, worthless, worthlessness, Wrath, yoga of all kinds, zombie, zombie state,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give you all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

**Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org**