

## **List of Attention Disorders Spirits for MD**

**Abuse of all kinds, child abuse, emotional abuse, mental abuse, Parental abuse, societal abuse, sexual abuse, sexting abuse, systemic abuse, & verbal abuse, etc,**

**ADD, ADHD, ADHD-C, ADHD-H, ADHD-HI, ADHD-I, ADHD-P, ADHD-PI, abnormal oversensitivity, abnormalities in how the dopamine system in central nervous system responds to stimuli, Absent-minded professor, Absent-minded, Absent-mindedness, Academic difficulties, Academic failures, act without regard for consequences, act without thinking, acute lymphoblastic leukemia, acute stress disorder, Adderall, addictions to alcohol, drugs, meds, nicotine, stimulants, etc, Additude Magazine, Adult attention deficit hyperactivity disorder, Adult ADHD, adverse drug reactions, adverse medicine reactions, Agitate, Agitated, Agitating, Agitation, aggression, aggressive, aggressiveness, agoraphobia, alcohol abuse, & related birth defects, alcoholic, alcoholism, Alpha-2A adrenergic receptor, Alternative medicine, Alternative therapies, amphetamines, anemia, antisocial behaviors, antisocial personality disorders, Anxiety disorders, anxious or stressed mother, anxiousness, Asperger syndrome, associated psychiatric comorbidities, atomoxetine, Attention deficit disorder, Attention deficit hyperactivity disorder, ADHD management, ADHD Therapies, Attention disorders, Attention span short, Attention versus memory in prefrontal cortex, attentional blink, attentional disabilities, attentional dyslexia, attentional failure, attentional impairments, attentional shift, audio neglect, autism spectrum disorders,**

**Be constantly in motion, Become bored quickly, behavior therapy, behavioral Disorders, behavioral dysregulation, behavioral modification therapy, behavioural symptoms of ADHD, behavioral treatment, behavioral therapies, behavioral therapy treatments, being spacey, biochemical reward mechanism, Bipolar disorders, birth defects, Blurt out inappropriately, Borderline personality disorder, bouncing off the walls, brain damage, brain infections, brain inflammation, brain lesions, brain messages scrambled, brain signals interrupted, brain trauma, brain tumor, Brat, Bratella, cannabis, cerebellum dysfunction, Change blindness, Change deafness,**

**Change detection disorder, changes in brain chemistry, chaos, Chaotic lifestyles, chemical side effects, child abandonment, child abuse, child neglect, Childhood Autism, Childhood disintegrative disorder, children or fetus exposed to tobacco smoke, chronic attention disorder, chronic illness, Chronic sleep deprivation, Circadian rhythm disorders, clinical depression, clumsy child syndrome, cluster of impairments, clutter bug, cluttering, comorbid bipolar disorder, Comorbidity in autism spectrum disorders, coexisting conditions, cognitive behavioral therapy, cognitive late effects, Cognitive processes disorders, Cognitive style, comorbid disorders, comorbidities, compulsive actions, compulsive buying, compulsive addictions, etc, compulsive, compulsiveness, Compulsivity, Concerta, conduct disorder, confused, confusing, confusion, constant mental activity, contraindications, controlled poisons, controlled substances, counseling, crack baby, create a handicap in activities, Curiosity, curiousness,**

**damage to brain frontal lobes, dangerous area causing more TV for children, dangerous environment, Dash around, doing all in sight, daydreamer, daydreaming, daydreamy-spacey, deceit, deceitful, deceitfulness, defiance, defiant, Deficiency in zinc, Deficits in attention, Deficits in motor control, Deficits in perception, delayed sleep phase syndrome, delays in development, Delays in development, Delays in language, Delays in motor development, Delays in speech, Delivered from Distraction, demonic characters in cartoons, demonic characters in childrens' shows, demonic characters in educational shows, etc, dependence to alcohol, dependence to stimulants, dependence to meds, dependence to drugs, dependence to nicotine, etc, depersonalization disorder, depressed, depressing, depression, derealization, destructive behaviors, develop coping mechanisms, Developmental Coordination Disorder, developmental damage, developmental disorders, dexamphetamine, Diet effects, difficulties staying awake, difficulties getting to sleep, difficulty being quiet, difficulty being still, difficulty completing tasks, difficulty focusing attention, difficulty processing information, difficulty waiting, Disorder of Attention and Motor Perception, disorganised, disorganising, disorganisation, disruption of attentional capacity, disruptive behavior, disruptive behavior disorder, dissociation, Dissociative Experiences, dissociative identity disorder, distracted, Distracting, Distraction, distractiveness, disturbance of activity, disturbance of attention, dopamine beta hydroxylase, dopamine D4 receptor**

**gene variants, dopamine pathway tracers, Dopamine receptors disorders, Dopamine transporter disorders, Driven to Distraction, drug induced psychiatric disorders, drug abuse, drug addictions, drug use, Dysexecutive syndrome, dysfunctional, dyspraxia,**

**easily confused, easily distracted, Educational psychology, elevated striatal dopamine transporter density, emotional abuse, Emotional overreactions, enhanced depressive effects on mood, entero-virus 71, Environmental factors, evolutionary, excessive daytime sleepiness, excessive daytime tiredness, excessive daytime weariness, excessive fidgetiness, excessive physical activity, excessively energetic, Executive functions disorders, Executive functions weakness, Executive dysfunction, explorative behaviour, exposure to polychlorinated biphenyls in childhood, Exposure to the organophosphate insecticides chlorpyrifos and dialkyl phosphate, Expressive language disorder, extended isolation, extinction, extroverted, extroversion,**

**failures in awareness, family dysfunction, family dysfunction therapy, fast action in cartoons, fast action in childrens' shows, fast action in educational shows, etc, fetal alcohol spectrum disorder, fetal drug addiction, fetal drug disorders, fetal Exposure to tobacco smoke, fetal Exposure to drugs, fetal Exposure to medications, fidgeting, fidgety, Flicker paradigm, Flow psychology, fluctuations in Event-related potentials, food additives, food colourings, Forced choice detection paradigm, Foreground-background segregation mix-ups, forgetful, forgetfulness, forgetting, four connected frontostriatal regions in pathophysiology of ADHD, lateral prefrontal cortex, dorsal anterior cingulate cortex, caudate, and putamen, disrupted sleep, Fragmented sleep, frequent temper tantrums, frequently switch activities, frontal lobe dysfunction, frustrate, frustrated, frustrating, frustrations, Functional disconnection,**

**Generalised anxiety disorder, genetic factors, genetic problems,**

**Hallucinations, hallucinogens, hallucinosis, Handwriting difficulties, hard to focus on one task, hard to form, and keep friendships, Have difficulty doing quiet tasks or activities, hearing impairment, heightened anxiety, hereditary disorders, High-functioning autism, high likelihood for abuse & addictions, high sugar diet, highly heritable, Hunter vs. farmer hypothesis, hyperactive, hyperactiveness, hyperactivity, Hyperfocus, hyperkinetic conduct disorder,**

**hyperkinetic disorder combined with a developmental disorder of motor function, hyperkinetic disorder, hyperkinetic syndrome, hypersomnia, hypertension, hypoactivity, Hypokalemic sensory overstimulation, Hypothalamic–pituitary–adrenal axis disorders, Hypoplasia, hypothyroidism, hypotonia, hypoxia,**

**ignore, or not pay attention, illegal drug abuse, illegal drug addictions, illegal drug use, illicite drug abuse, illicite drug addictions, illicite drug use, immature behaviour, immaturity, impaired central nervous system, Impaired concentration, impaired development of fetus, Impaired emotional learning, Impaired interpersonal skills, impairments in processing verbal and nonverbal language, impatience, impatient, implicit memory disorders, impulse control lag, Impulse buying, Impulse control disorders, Impulsive actions, Impulsive behaviour, Impulsive disorders, Impulsive overeating, impulsive, impulsiveness, Impulsivity, inability to be quiet for a time, inability to be still for a time, Inability to concentrate - especially on mentally intensive tasks, inability to detect changes between two voices, inability to differentiate between forefront attention & background attention, inability to focus mind, inadequacies in educational system, inattention, Inattentional Agnosia, Inattentional Amnesia, Inattentional Blindness, inattentive, inattentiveness, increased hyperactive behaviour, increased stimuli, individual psychopathology, Infections during pregnancy, Infections at birth, Infections in early childhood, information input-output problem, inherited genetic factors, inhibition, initiation and monitoring of actions disability, injuries to baby during pregnancy from alcohol use of mother, crack use of mother, drugs use of mother, medicines use of mother, strenuous activities of mother, thalidimide, ultrasounds, xrays, etc, Insomnia, insufficient deep sleep, insufficient rem sleep, insufficient sleep, intense craving for emotional stimulation, intense craving for intellectual stimulation, internalization, internalized, internalizing, interpersonal psychotherapy, Intracranial hypertension, Intracranial signals interrupted, introspective, irregular stress patterns,**

**lack energy, lack insentive, lack motivation, lack of ability to detect change, lack of proper discipline, language delay, language disabilities, language disorders, language problems, language regressions, Latent inhibition, later dim light melatonin onset, laziness, lazy, led poisoning, Learning styles**

**disorders, Learning styles disabilities, Learning styles delays, Learning styles regressions, lethargic, lethargy, life of the party, lifestyle changes, limitations, Limited communication skills, Limited Memory, Limited Perception, Limited social interaction, Limited verbal output, live on the edge, long-term alcohol misuse, long-term cannabis misuse, long-term drug misuse, long-term maladaptive symptoms, long-term stimulant therapy, long-term substance misuse, loose track of time, lose self control, lose things easily, loss of awareness, Low arousal theory, Low arousal threshold, low birth weight, low dopamine, Low Response Rate, LPHN3, Lucid dreaming, MMR vaccine reaction, asetamenophen use & autism, Macropsia, magic in cartoons, magic in childrens' shows, magic in educational shows, etc, major depression, major depressive disorder, major depressive episode, mania, mania drug reactions, manic depression, manic depressive disorder, manic depressive episode, measles, medical management, medicalization of deviant behavior, medication therapy, & side-effects, Meditation, memory retrieval problem, mental damage, mental derangement, mental disorders, mental flexibility disorders, mental restlessness, mental retardation, mentally foggy, metal poisoning, methylphenidate, & side effects, methylphenidate-induced psychosis, micropsia, migraines, mind drifting, mind racing, Mind-wandering, minimal brain damage, minimal brain disorder, minimal brain Dysfunction, misdiagnosed, miss details, misuse substances, moderate ADHD, Mood disorders, mood fluctuations, mood lability, mood swings, moody, move around a lot, move slowly, Mudsplashes, Multiple-complex Developmental Disorder, Multisystem Developmental Disorder, Multitasking,**

**narcolepsy, nature exposure, Neonatal withdrawal, neuroadaptations from stimulants, neurobehavioral functioning disorder, neurocognitive deficits, neurocognitive disorders, neurofeedback, neurological disease, neuropsychologic theories, Night-horror, Nightmares, Night-terrors, Night-traumas, no daycare causing more TV for children, no discipline, no school causing more TV for children, nomadic people, non-stimulant medications,**

**Obsessive-compulsive disorder, obstructive sleep apnea, obtrusive, obtrusiveness, occult in cartoons, occult in childrens' shows, occult in educational shows, etc, occultism, Olfactory, Oppositional defiant disorder, out-of-body experiences, Overactive, Overactive disorder, Overactiveness,**

**Overactivity, over-arousal, oxidative stress,**

**paediatric traumatic brain injury, panic attacks, panic disorder, panicy, paranormal in cartoons, paranormal in childrens' shows, paranormal in educational shows, etc, parent management training, Parent training and education, Parental abuse, Parental neglect, partial awareness, Pediatric bipolar disorder, Pediatric manic-depression disorder, pediatric schizophrenia, peer pressure, perceptual blindness, Perceptual over-Load, Perceptuo-motor dysfunction, Peri-natal environment, & risk factors, periodic limb movement disorder, persistent bed wetting, Personality Disorders, Pervasive Developmental Disorders, phobias, Planning cognitive disorders, poor attention span, poor balance, poor change detection, poor concentration, poor discipline, poor motor planning, poor short-term memory, poor social interaction, poor timing, Positive behavior support, Positive thinking, Positivity, post traumatic shock disorder, post traumatic shock syndrome, post traumatic stress disorder, post traumatic stress syndrome, postpartum depression, predominantly hyperactive, predominantly hyperactive-impulsive, predominantly impulsive, predominantly inattentive, predominantly inattentive, hyperactive &/or impulsive mix, premature birth, Prenatal environment, Prenatal exposure to alcohol, Prenatal exposure to crack, Prenatal exposure to drugs, Prenatal exposure to medicines, Prenatal exposure to nicotine, Prenatal exposure to substances, etc, Prenatal risk factors, Prenatal stress, Primarily Inattentive Type ADHD-I, Primary deficit in executive functions, Primary disorder of vigilance, Primary sleep disorders, problematic child, problematic childhood, problems following sequential tasks, problems getting to sleep, Problems with proprioception, Problems with spatial awareness, Procrastinate, Procrastinating, Procrastination, psychiatric assessments, psychiatric disorders, psychoeducational input, psychological mindedness, psychological therapies, psychopath, psychopathological disorders, psychopathology, psychopathy, Psychosocial risk factors, psychosis drug reactions, psychotherapeutic medicines, psychotherapeutic techniques, psychotherapeutic therapies, Psychotic Disorders, psychotropic medication, & side effects,**

**quarantine causing more TV for children,**

**Rainy weather causing more TV for children, rapid movements, Rapid Visual Imaging, Regression, Regressive autism, rejection, & self rejection, rejection**

**by family members, rejection by peers, rejection by parent(s), rejection by guardian(s), rejection by sibling(s), repetition blindness, repeditive behavior patterns, Repetitive body movements, response impulsivity, restless, restless legs, restlessness, restrictive predominantly inattentive, risk takers, Ritalin, & side effects, rubella,**

**saccadic movements of the eye, schizophrenia, Scholastic skills delays, Scholastic skills disorders, Scholastic skills regressions, school failure, school-based interventions, screaming fits, seizures, selective attention, self-destructive behaviors, self-harming behaviors, self-regulatory disabilities, sensory overload, sensory problems, separation anxiety disorder, serious impairments, serious risks, severe ADHD, severe stress, Shifts in attention, short attention span, short concentration, significant functional impairments, sleep disorders, sleep disturbances, sleeplessleeplessness, sleepiness, sleepy, slow movement, Sluggish cognitive tempo, sluggish-lethargic, smaller left-sided prefrontal cortex, social and functional impairments, social anxiety disorder, Social construct theory, social phobia, social skills impeedance, social skills training, social withdrawal, solipsism, Somatosensory, Southampton six food colourings, specific support groups for ADHD, spoiled child, squirming in seat, staring frequently, stealing, Stevens–Johnson syndrome, stimulant meds affects on growth factors of central nervous system, street drug abuse, street drug addictions, street drug use, streptococcal bacterial infection, Stress sensitivity, stressed mother, stressed, stressed-out, stressful environment, strong hetero-geneity, Struggle to follow instructions, stubborn, stubbornness, subconscious awareness, substance abuse, substance addictions, substance use disorders, superhuman qualities in cartoons, superhuman qualities in childrens' shows, superhuman qualities in educational shows, etc, Supervisory attentional system,**

**tachyphemia, Talk nonstop, Taming the Tornado, tasks involving competition, tasks involving risk, tasks involving unpredictable behavior, teenage heart trouble, teenage peer pressure, temporal lobe epilepsy, temporary ADD, temporary blindness effect, thalidimide birth defects, thinness of the cortex of the right side of the brain, thyroid malfunction, thyroidism, Tolerance to meds, too fast action in cartoons, too fast action in childrens' shows, too fast action in educational shows, etc, toxic**

**developmental effects of alcohol on the fetus, toxic developmental effects of drugs on the fetus, toxic developmental effects of medicines on the fetus, toxic developmental effects of substances on the fetus, toxic developmental effects of tobacco on the fetus, trans-cranial signals mix-up, treatment emergent psychosis, trouble with memory retrieval,**

**unable to be quiet, unable to self-regulate, unable to sit still, unable to wait, under-arousal, underaroused state, unique neuropsychological profile, unpredictable behavior, unrestrained emotions, unrestraint, Unusual playing, use of psychiatric drugs, & side effects,**

**viral infection, variations to dopamine and norepinephrine, varicella, Vayarin, verbal abuse, very impatient, Very low birth weight, violence to children, violent, virus infections, vision impairment, visual masking, Visual neglect,**

**witchcraft in cartoons, witchcraft in childrens' shows, witchcraft in educational shows, etc, withdrawal symptoms, withdrawal Syndromes, working memory deficits, working memory disorders, Working memory training,**

**In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.**

**We thank You Lord Jesus for everything You have done. We give You all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.**

**Pastor T. John Franklin  
Church of Salvation, Healing, and Deliverance  
COS-HAD.org**