

List of Schizophrenia Spirits for MD

15 Park Avenue, abnormal beta band, abnormal contour detection performance, abnormal dorsal stream processing, abnormal identity, abnormal neural activity, abnormal perceptual judgments of motion speed and direction, abnormal states of awareness, abnormalities in cortical area, abnormalities in receptor expression, absence of emotional reaction, absent mother, abuse of all kinds, child abuse, emotional abuse, mental abuse, parental abuse, physical abuse, sexual abuse, societal abuse, verbal abuse, etc, abusive auditory hallucinations, Accusatory hallucinations, acquired brain vulnerabilities, acquired metabolic disorders, acute onset and fluctuating level of consciousness, acute/transient psychotic disorder, adverse prenatal environment, affective blindness, affective flattening, affective blunting, affective mood disorders, affects control of eye movements, affects detection of visual contours, affects perception of contrast and motion, affects recognition of faces, affects recognition of facial expressions, aggressive phantasies, aggressiveness, agitated, agitation, agranulocytosis, akathisia, alcohol abuse, alcohol addiction, alcohol psychosis, alcoholic, alcoholism, alexithymia, Alexithymic, Alogia, aloof, alteration in chemical synapses, altered brain, altered brain hormones, altered glutaminergic functions, altered K plus levels, altered Na-plus levels, altered Ca² plus levels, altered mind, altered states of consciousness, alternative medicine, alternative therapies, ambivalence and conflict, ambivalent, American Madness, Amphetamines, anhedonia, anticonvulsants, antipsychotics, antisocial behavior, Apathetic, Apathy, Assertive Community Treatment, ADD, ADHD, attentional bias to threats, attributional biases, auditory hallucinations, authoritarianism, autism spectrum disorders, autoimmune diseases, Avoidant attachment, avoidant personality disorder, Avolition,

bizarre delusions, be an outsider, Beautiful Mind film, Behavioural Healthcare, Behavioural sensitization, bereavement hallucinations, biologically induced, bipolar disorders, Bitopertin, Bleuler's psycho syndrome, Bleulerian theory, Blunted affect, blunted emotions, borderline personality disorder, Borna disease virus, Boyd Hoyland, brain atrophy, brain

damage, brain hypoxia near birth, brain injury, brain lesions, brain malfunctions, brain structure changes, Brainstem damage, Brief hallucinations, brief psychotic disorder, bully, bully-ed, bully-er, bullying, can develop at any age, cannabis, cannabis use, cannabis addiction, cannabis miss-use, cannabis dependancy, cannabis withdrawl, Canvas film, Catalepsy, Catastrophic types, Catatonic types, catatonia, catatonic behaviour, catatonic stupor, Causes, Caveman's Valentine, celiac disease, central defense mechanism, cerebral atrophy, childhood abuse, childhood trauma, childhood-onset schizophrenia, chromosomal abnormalities, chromosomal mutations, Chronic negative feelings, Clean Shaven, cluttering, cocaine, Cognitive behavioural therapy, Cognitive remediation therapy, cognitive biases, Cognitive Dysfunctions, Cognitive impairments, cold & indifferent, complex mental disorder, complexes from brain damage, confusing situations, confused, confusion, contour integration deficits, Contrast Sensitivity impairment, copy number variants, Counseling, critical comments, chronic hallucinatory psychosis, Crowding, crying frequently, cyber bully, cyber bully-ed, cyber bully-er, cyber bullying, cyclothymic personalities,

damaged amygdala, damaged frontal lobes, damaged limbic region, decline in emotional response, decline in motivation, decline in speech, decreased activation in limbic system, decreased cessation of all feelings of pleasure, defects of social brain, defects of theory of mind, defense mechanism, deficit in magnocellular visual processing pathway, deficit syndrome, Deficits in executive function, Deficits in eye movement behaviour, Deficits in metacognition, Deficits in motion processing, Deficits in psychomotor speed, deficits in nonverbal memory, deficits in verbal memory, delirium & visual hallucinations, delusional disorder, Delusions and paranoia, Dementia Praecox, depress, depressed, depressing, depression, depressive anxiety, depressive position, Deregulation of neural calcium homeostasis, destructive phantasies, deteriorating attacks, developmental insults of baby, Diagnosis of schizophrenia, diathesis stress model & etiological, disease process flares up, disengage, disengaged, disengageing, disengagement, disintegration of emotional responsiveness, disintegration of thinking, disintegration of thought process, disorder of consciousness, disorganized behaviour, disorganized speech, disorganized symptoms, disorganized thoughts,

Disorganized type, dissociation from affective states, dissociation, dissociative identity disorder, dissociatives, dopamine hypothesis, dopaminergic abnormalities, dopaminergic drugs, double bind situations, double minded, double mindedness, double personality disorder, dream world, dreamy, dressing inappropriately, drug abuse, drug addiction, drug dependance, drug intoxication, drug miss-use, drug psychosis, dual personality disorder, duplicating ideas, drug withdrawal, dysfunctional immune status, dysfunctional relationships, Dysphrenia,

early environment affects, early postnatal exposure to Toxoplasma gondii, early separation from parents, Early-onset schizophrenia, eccentricity, Echolalia, Echopraxia, electrical synaptic irregularities, Electroconvulsive therapy, electrolyte disturbances, emotional stress, emotionally negative, emotionally withdrawn, Empowerment therapy, endocrine disease, enlarged brain ventricles, environmental risk factors, Epidemiology, Epigenetics, epilepsy, exacerbations and remissions, excessive dopamine, excessive drug use, Experience Focused Counselling, exposure to toxins,

Face perception problems, family dysfunction, Family Education, Family Therapy, fantasize, fantasized, fantasizing, fantastic imagination, fantasy, fear of invasive malevolence, feel all alone, feel persecuted, feelings unexpressed, fetal genotype, fetal hypoxia, fetal programming, Fictional portrayals of schizophrenia, five sub-classifications of schizophrenia, Flat emotions, flat or inappropriate affect, flattened facial expressiveness, formal thought disorder, Freedom from fear organization, Freudian theory, frontal lobe abnormalities, frustrated, frustrating, frustration, Functional disconnection,

genetic malfunctions, genetic modifications, genetic variants, germ theory, Glutamate hypothesis, glutaminergic abnormalities, gluten allergy, gluten intolerance, good and bad parts of self, Grandiose delusions, Grossly disorganized behaviour, Group of Schizophrenias,

Hallucinations, hallucinatory behaviour, Hallucinogens, hateful, hatred of bad, hearing voices in mind, Heautoscopy, heavy metal poisoning, hebephrenic type, heredity, herpes virus, high expressed emotion, History of schizophrenia, Hocus Bogus novel, Homeless to Harvard: Liz Murray Story, hormone alteration, hormone imbalance, hostile, hostility, hyperactive,

hyperactiveness, hyperactivity, hypercalcemia, hyperdopaminergic state, hyperglycemia, hyperkalemia, hypermagnesemia, hypernatremia, hyperphosphatemia, hypocalcemia, hypofunction of glutamatergic signaling, hypoglycemia, hypokalemia, hypochondria, hypochondriac, hypomagnesemia, hyponatremia, hypophosphatemia, hypo-reactivity, hypoxia,

I Never Promised You a Rose Garden, illusions of grandure, illusory contour processing deficits, Images film, imagined revenge of persecution, immobility, impaired communication, impaired motion perception, impaired working memory, impairment in basic psychological functions like memory, attention, executive function and problem solving; impairments in cognitive development, impairments in neuromotor, impairments in receptive language, impoverished affect, Imprinted brain theory, in utero insults, inability of self-care, inability to express feelings, inability to express emotions, inborn errors of metabolism, increase global chemical synaptic activity, Increased paternal age, indecisive, indecisiveness, indecision, induced delusional disorder, infectious syndromes, inferiority complex, inherited brain vulnerabilities, inherited epigenetic, inner and outer reality, instability, Institutes of Mental Health, Insulin shock therapy, Integration disorder, interpersonal relations dysfunction, Intra-uterine growth stunted, Intra-uterine malnutrition, introversion, introverted, intrusive or controlling attitudes, irregular cellular metabolism, irregular oxidative stress in prefrontal cortex, Is There No Place On Earth For Me, ischemia,

Joe Wicks, Joey Rainbow, jumping to conclusions, juvenile schizophrenia, Ketamine, Ketamine tolerance, Kraepelinian dichotomy, Kraepelinian theory, lack emotional expression, lack of vocal inflection, lack of emotional response, lack of motivation, lack of speech, lack words for feelings, Last Days of Sylvia Frumkin, lasting cognitive weakness or defect, late-onset schizophrenia, lead poisoning, Lesioning amygdala, Less formal thought disorder, Less formal cognitive impairment, Less negative symptoms, lethal side effects, Life Before Us, limbic system aberrations, lonely, lonliness, loss of contact with objective world, low dysbindin, low reelin, low-level schizophrenic symptoms, Lower birth weight, lowered protein reelin, LSD, Mad Hatter comics, magnocellular deficit, major depressive disorder,

maladaptive coping skills, maladaptive nature, maltreatment, Management of schizophrenia, manic defenses, marijuana, marijuana use, marijuana addiction, marijuana miss-use, marijuana dependancy, marijuana withdrawal, maternal alcoholism, maternal antibodies, maternal Asian flu, maternal behaviour, maternal defects in neural development maternal drug use, maternal genital infections, maternal malnutrition, maternal medicine effects, maternal physiology, maternal smoking, maternal stress, maternal viruses, etc, can be predisposition to schizophrenia at puberty; Maternal-baby genotype incompatibility, Maternal-baby rhesus incompatibility, measles, Mechanisms of schizophrenia, metabolic disturbance, metachromatic leukodystrophy, Metacognitive training, Methamphetamine, midbrain disconnected from medial prefrontal cortex, mind altered by drugs, mind altered by meds, mind control, mind occult, mind-altering drugs & effects, mind-altering meds & effects, minimal medication approach, miss-interpret Facial Emotions, mood disorders, mood fluxuations, mood swings, moody, multifactorial, multiple personalities, myocarditis, mysterious voices of demons,

negative attitudes, negative emotions, negative symptoms, negativity, neonatal damage of amygdala, neurobehavioural abnormalities, neurobehavioural deficits, neurocognitive deficits, neurodegenerative diseases, neurodevelopmental diseases, neurodevelopmental hypothesis, neurodevelopmental impairments, neuroleptic malignant syndrome, neuroleptics, Neurotransmitter-stress syndrome, Never completed cured, New Yorker, Newt of Hollyoaks, Nicotine patch, non-bizarre delusions, non-distressing delusions, nutritional imbalances,

object relations theory, obsessive-compulsive disorder, obstetric complications, obstetric events, occult mind control, occult involvement, occultism, occultist, occupational dysfunction, olfactory hallucinations, omega-3 fatty acids, Oneiroid syndrome, Origin of Consciousness in Breakdown of Bicameral Mind, Origin of Influencing Machine in Schizophrenia, Out of the Shadow film, over-confidence in errors,

Paranoia, Paranoia Network, paranoid anxiety, Paranoid type, Paranoid-schizoid and depressive positions, paranoid-schizoid position, Partition delusions, passive emotional coping strategies, passivity, paternal age,

pathogenic theory, pathological hypoxia, PCP, Pediatric schizophrenia, perenatal hypoxia, Persecutory delusion, persistent delusional disorder, persistent, often chronic, mental illness variously affecting behaviour, thinking, and emotion; pervasive developmental disorder, phobias of all kinds, physical disease process, Physiological advantage hypothesis, physiological hypoxia, placenta problems, pleasure principle, pliability, too honest, indifference, silence, & cold emotional attitudes; Polio, porphyria, Positive and Negative Syndrome Scale, Possessed film, Post-schizophrenic depression, post-traumatic shock disorders, post-traumatic stress disorders, postinfectious syndromes, Poverty of speech, predisposition of stress, Prenatal hypoxia, prenatal development, prenatal infection, prenatal stress, prenatal trauma, prenatal exposure to Toxoplasma gondii, Prepulse inhibition, primal split, Procyclidine, Prodrome, Prognosis of schizophrenia, progressively deteriorating attacks, projections, prominent delusions, prominent hallucinations, Protocadherins, Pseudoneurotic type, psychedelics, Psychiatry, Psychological dissociation, Psychological hypochondriasis, Psychological processes, Psychological reactions to stressors, Psychology, Psychosis prompts shamans to communicate with the spirit world, Psycho-surgery, Psycho-therapy, psychotic diseases, psychotic episodes, psychotic experiences, psychotic schizophrenia-like symptoms, Psychotic symptoms, psychotic-like experiences, purposeless movement, purposelessness,

queerness, quiescence, quietness,

racial discrimination, rage, ragefulness, reality principle, reclusive, reclusiveness, recurrences, reduced latent inhibition, reduction in basic psychological functions like memory, attention, executive function and problem solving; rejected, rejection, rejection from co-workers, rejection from colleagues, rejection from parents, rejection from peers, rejection from siblings, rejection from womb, repression of emotions, Repulsion, reservedness, Residual type, Riklinian theory, ritalin, River Tam, rubella, sad, sadness, Savage Grace, schizoaffective disorder, schizoid, schizoid pathology, schizoid person, schizoid personalities, Schizoid personality disorder, Schizophasia, schizophrenia genes, schizophrenia spectrum disorders, Schizophreniac: Whore Mangler, Schizophrenias, Schizophrenic,

schizophreniform disorders, schitzos, Schizotypal personality disorder, schizotypy, schizotypy increasing genes, self preservative defenses, self-blaming, self defaming, self hatred, self-hurting, self-induced, self-medicate with nicotine, self-medication theory, self-mutilation, self persecuting, self punnishing, self put-down, self-referencing, self-prospection, sensory deprivation, sensory impairment, separate intellect from emotions, sequestered, serious, seriousness, severe depression, severe mania, severe sleep deprivation, shaman's schizoid personalities, shamanic state of consciousness, shamanism, Shamanistic Hypothesis, shattered mind, shy, shyness with excitability, shyness with feelings, shyness with nervousness, shyness with sensitivity, side effects of meds, signs of disturbance, Simple schizophrenia, simultaneous contrast illusion, slowed fetal growth, Sluggishly progressing schizophrenia, Social advantage hypothesis, social anxiety disorder, Social brain hypothesis, Social construction of schizophrenia, Social dysfunction, Social exclusion, Social processes, Social withdrawal, sociocultural influences, socioeconomic disadvantage, Some Voices film, sorrow, sorrowful, sorrowing, Soteria model, Spider film, split personalities, splitting good from bad, splitting emotional & intellectual functions of personality, splitting of feelings from events, sporadic cases, stammering, Stimulants, Stimulant psychosis, Strange Voices, stress-vulnerability model, Stressful life events, stuttering, substance induced psychotic disorder, Supervisory attentional system, supported living centers, Surround Suppression, sympathomimetics, systemic infections of HIV, systemic infections of syphilis,

tactile hallucinations, Taraxein, Tardive Dyskinesia, Tardive dysphrenia, techniques of neuropsychological rehabilitation, telepathy, Tess Doerner, Tetrabenazine, THC, The Island Inside, the Secret schizoid, The Soloist, theory of mind, thiamin deficiency, Third-person running commentary, Thought disorders, Thought duplication, three fundamental symptoms deficits in associations, affectivity and ambivalence; Through a Glass Darkly film, timidity with excitability, timidity with feelings, timidity with nervousness, timidity with sensitivity, Tobacco use, toxic psychosis, Toxoplasma gondii, Toxoplasma antibodies, trauma, traumatic shock, traumatic stress, Treatment-resistant schizophrenia, Two-Face, unbalanced genomic imprinting, unbearable feelings, unconscious phantasy

theory, underlying biological process, underlying biological disease, Undifferentiated type, unique psychological stressors, unsociability, urban environments,

velocardiofacial syndrome, varicella-zoster, very late-onset schizophrenia, vestigial behaviour, victim of sexual abuse, victim of traumas, viral infections in utero, viral infections in childhood, Visual processing abnormalities in schizophrenia, Visual hallucinations, vitamin D deficiency, vulnerable neural systems,

waxy flexibility, weaker configural processing, weaker perceptual suppression, weaker suppression of perceived contrast, weird, wierdness, withdrawal, withdrawn, working memory deficits, worship of psychics, worship of seers,

Youngian theory, Zoe Tate, zombi, zombi like state,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give You all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

**Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org**