

List of Animal Therapy Spirits for MD

abuse of all types, child abuse, co-workers abuse, cultural abuse, elder abuse, emotional abuse, employer abuse, employee abuse, gang abuse, institutional abuse, judicial system abuse, mental abuse, organized crime abuse, parental abuse, peer abuse, psychological abuse, physical abuse, religious abuse, ritual abuse, self abuse, sexual abuse, societal abuse, spiritual abuse, spousal abuse, systemic abuse, verbal abuse, etc, alcohol abuse, canniboid abuse, cannibis abuse, drug abuse, fentinol abuse, hallucinogens abuse, illegal drug abuse, illicit drugs abuse, inhalants abuse, medicines abuse, opioid abuse, psychoactive substances abuse, stimulants abuse, street drug abuse, THC abuse, underground economy abuse, unions abuse, etc, addiction in chemistry of brain, Addiction medicine, addiction proneness, addiction vulnerability, Addiction psychiatry, Addiction Psychology, Addiction recovery groups, Addiction Research Centers, addiction reward, Addiction therapy, Addiction to alcohol, Addiction to behaviors, Addiction to caffeine, Addiction to candy, Addiction to computer, Addiction to drugs, Addiction to facebook, Addiction to food, Addiction to gambling, addiction to intensity, Addiction to junk food, Addiction to medicines, Addiction to nicotine, Addiction to pop, Addiction to pornography, addiction to sex, Addiction to social media, Addiction to soap operas, Addiction to sports, addiction to substances, Addiction to sugar, Addiction to twitter, Addiction to TV, Addiction to video games, Addiction to work, etc, addiction to, craving for and bondage to any vice, Addiction to other things after quitting original vice, Addiction top priority in life, Addictive Behavior, addictive behavior personality, addictive belief system, addictive impulses, Addictive patterns, Addictive personality, addictive Recognition Technique, addictive tendencies, addictive tragedies, abandonment, abusive parenting styles, abusive relationships, academic psychology, adoption, adoptive parents, Adrenarcho endocrine mechanism, affection desire, affectional bond with animal, affectional tie with animal, affective attunement, affective communication errors, affective dysregulation, affective method of therapy, affective, reflective, & repair therapy, afraid, afrighted, age regression techniques, agitate, agitated, agitating, agitation, alienate, alienated, alienating, alienation, allergy to animal, allergy to animal dander, allergy to animal saliva, allergy to animal urine, Ambivalence, ambivalent children, ameliorate disability training, ancestor veneration, ancestor worship, anger, anger management, angry, animal anthropomorphism, Animal assisted activity, Animal assisted interventions, animal assisted therapy partner, Animal assisted therapy

programs, animal awareness, animal bonds with humans, Animal cognition, Animal consciousness, animal crucial to sense of self and well-being, animal familiars, animal idolization, animal in waiting room, animal in therapy room, animal interaction, animal sanctuaries, animal spiritism, animal spirits, animal spirits as assistants, animal spirits as helpers, animal spirits as messengers of Shamans, animal worship, animalism, Animals as agents of relaxation, Animals as agents of social support, Animals as agents of socialization, animals replace family, animals replace friends, animation in cartoons, comics, & shows, etc; animatism, animism, animistic beliefs, animistic cultures, animistic indigenous people, animistic indigenous religion, animistic religions, animistic thinking, animistic traits, anthropology, anthropomorphism, Anthrozoology, anti-social behaviour, anxiety, anxiety disorders, anxious ambivalent, anxious attachment, anxious avoidance, anxious preoccupied, anxious strategies, anxiousness, apathy, apathetic, arthritis, assist animals, assist animal organizations, assistance animals - cats, dogs, horses, & monkeys, etc; assisted pet therapy, Attachment based therapy, Attachment based psychotherapy, attachment behaviour, attachment behavioural system, attachment centred interventions, attachment disorder, attachment interventions, attachment measures, attachment parenting, attachment patterns, attachment relationships, attachment sequence of attunement, disruption, and repair; attachment theory, attachment therapists, attachment therapy, attachment therapy animal techniques, attachment to animals, attention disorders, ADD, Attention deficit disorder, ADHD, Attention deficit hyperactivity disorder, attunement concept, atypical insecure attachment patterns, auditory system disorders, auditory system processing problems, Autism service dog, Autism spectrum disorders, autistic, avoid attachment, avoidance, avoidant attachment, avoidant attachment pattern, avoidant attachment strategies, barking, battle fatigue, battle stress, battle trauma, be in touch with inner feelings, behavioral dysregulation, behaviour analysts, behaviour characteristics, behaviour disorders, behaviour genetics, behaviour modification therapy, behaviour problems, behaviour strategies, behaviour therapy, behaviourism, benevolent and malevolent spirits, bilateral control disorders, biophilia hypothesis, biting, blind, Bongthingism, Bori religion, Buddhism, Bwiti, Canine Companions, Canine for Independence, Capuchin monkey helpers, cardiopulmonary pressure high, care animal farming, Care farming, caregiver abuse, caregiver traumatization, caregiver unresponsiveness, catharsis, Changes in attachment, child abandonment, child abuse, child neglect, child and family disorders, Celtic animism, Coercive Restraint Therapy, cognition disorders, cognition dysregulation, cognitive behavioral strategies, cognitive development theory, cognitive functioning disorders, cognitive problems,

color blind, combat fatigue, combat stress, combat trauma, comfort animals, comfort pets, communication disorders, communicative mismatch, communicative repair, companion animal, companionship animal, companionship desired, companionship with animal, complex partial seizures, Complex stress disorders, Complex Trauma disorders, conditional love, conflict fatigue, conflict stress, conflict trauma, confused, confusing, confusion, contradicting, contradictory, control others, corrective attachment therapy, corrective cognitive emotional experience, cortisol high, counseling with animals, creation worshippers, Creature worship, chronic post traumatic shock disorders, chronic post traumatic stress disorders, cybernetics, dairy farms therapy, darwinism, dead ancestors reborn as animals, deaf, deafness, deaf-mute, death, death anxiety, death curse, death preminition, defecating, defence mechanisms, Delta society, dementias, depressed, depressing, depression, despondancy, despondant, develop therapeutic relationship, developmental psychology, Diabetes & detection dogs, direct contact with farm animals therapy, disappointed, disappointing, disappointment, disaster areas, disaster stress, disaster trauma, discouraged, discouragement, disinhibited attachment pattern, dismissive avoidant, disobedience, disobedient, disorders of attachment, Disorganization, disorganized attachment, disorganized children, disorganized & disoriented attachment, Disorientation, disoriented attachment, disoriented behaviours, dispair, dispairing, disrupted attachment to caregivers, distancing, distress, distressed, distressing, divorce, dizziness, dizzy, Dogs for blind, Dogs for Diabetics, Dogs for Disabled, domesticated pet therapy, dopamine low, drive theory, Dyadic Developmental Psychotherapy, dyadic model, dyads, dysfunctional family, Early insecure attachment, Early insecure liability, early psychosocial stress, Eco-Paganism, ecoism, emotional disorders, Emotional support animal, Emotional support system, emotional support needed, Emotional therapy, Emotionally focused therapy, Endal, endanger human life to save animals, environmental risk, environment worshippers, environmentalists, epilepsy, Epiphenomenalism, equine assisted therapy, equine assisted psychotherapy, equine environment therapy, equine for the blind, Equine therapy, ethological theory, ethology, Evergreen model, Evolutionary psychology, Evolutionary theory, evolutionism, exam stress at College & universities, & animal therapy, externalising disorders, Facilitating Developmental Attachment, familiar animals, familiar spirits inhabiting animals, cats, etc, familiars, family destruction, fantacize, fantasy life, fantasy friend in pet, fantasy world, farm animal therapy, fearful avoidant, fears of all kinds, fetal position, feteshes, fetishism, fight or flight pattern, fine motor skills disorders, Folk Hinduism, folklores, for motivation, for motor functions, for motor skills, for psychological health improvement, for verbal

skills, foster care, foster parents, Freedom Service Dogs, Freud's psychic energy model, Freudian theory, freudianism, frightened, frightening behaviour, generalise negative expectations with others, genetic factors, give human qualities to animal, give human qualities to toy animal, green worship, grief from death of animal, grief trauma, gross motor skills disfunction, group coalitions, guess what emotions in behaviours of animals, guess what intentions in behaviours of animals, guess what thoughts in behaviours of animals, Guide animal, Guide Dogs for the Blind, Guide miniature horses for the Blind, guided imagery, Guiding Eyes for the Blind, hallucinations, hallucinogens, Hantu Raya, Hawaiian animistic religion, head injury, healing of the memories, Hearing animal, Hearing Dogs for Deaf People, hearing impaired, helper animals, helper cats, helper dogs, helper horse, helper monkey, etc; Hikikomori, Hinduism, Hippotherapy, Hippotherapy curriculums, hopeless, hopelessness, hospices, Hospitals, house cats, house dogs, house pets, human interaction with animals, human-animal bond, Human-canine bond, human-companion animal bond, Human-Pet Relationship, Hyang, hyperglycemia, hypertension, hypnosis, hypnotherapy, hypnotist, hypnotized, hypnotizer, hypnotizing, hypo alert dogs, hypoglycemia, Ijun, illness, impulsive, impulsiveness, inability to attach to parents, inability to give & receive love freely, inactive, inactiveness, inactivity, inhibited attachment pattern, injurious behaviors, inner healing, inner mental phenomena, inner turmoil, inordinant affections, inordinant affections for animals, Insecure attachment patterns, insecurity, instability attachment patterns, institutionalization, institutionalized, intellectual disability, Intelligent disobedience, internal fantasy life, internalise negative self-image, internalising disorders, intervention programmes, intimidate, intimidated, intimidating, intimidation, intrusive memories secondary to trauma, intrusiveness, invincible, invincibility, invulnerability, isolation, Jainism, judgmental, Kaharingan, Kami, know what animals say by behaviour, know what animals think by behaviour, Koshinto, lack of coordination, lack of coherent coping strategy, language disorders, language pathology, language pathologists, Leader Dogs for the Blind, Learning theory, less empirical support, let down inhibitions around animals, lethargic, lethargical, lethargy, long term care facilities, lonely, loneliness, loss of co-workers, loss of family, loss of friends, etc, lost, malevolent spirits, malingering post traumatic shock disorders, malingering post traumatic stress disorders, maltreated, maltreatment, manipulate, manipulated, manipulate-er, manipulating, manipulation, marine mammals in therapy, matched vitality affect, maternal deprivation, Mayo clinic animal therapy, medical alert dogs, Medical response dog, meltdown, mental breakdown, mental disability, mental disorders, mental health field disorders, mental health providers, mental illness, mental Institutions, mental patients

wander among small domestic animals, mental phenomena, mental retardation, mental therapy, mentalization, military post traumatic shock disorders, military post traumatic stress disorders, military fatigue, military stress, military trauma, mind control, mind-body philosophy, mind occult, Miniature horses therapy, mistrust, mobility assistance dogs, mobility impairments, Modern Animal Assisted Therapy, Modern hippotherapy, monitoring techniques, monotropy, mood disorders, mood fluxuations, mood swings, moody, morale low, mother working, motivation level, mourning, multi dimensional family therapy, multi dimensional movement therapy, Mun, Munism, mythology, National Capital Therapy Dogs, nature deficit disorder, negative behaviors, negative life events, negativity, Neo Darwinism, Neo paganism, neo shamanism, neurological disabilities, neuro muscular therapy as horse moves, New Age movement, New Age religion, New Age therapy, New tribalism, non-maternal care, non-parental child care, non-physical mind, non-physical soul, non-verbally attuned with patient's affective state, nuero hormone level off, Nursing Homes, obstructing others, occupational assistants, occupational therapists, organicism, orphans, Oscar cat, out of control, outcasts, over compliance, Over stimulation, oxytocin low, Paganism, Pain management techniques, palliative care, palsy, panpsychism, Pantheism, paralyzed, paralysis, para military fatigue, para military stress, para military trauma, paranoia, paranoid, Parkinson's, passive, passiveness, passivity, past liives therapy, paternal deprivation, patient outlook, patterns of attachment, Paws with Cause, Pelesit, perceived rejection, pet therapy, pet therapy advocates, pet therapy with children, pet facilitated therapy, Pet Oriented Child Psychotherapy, pet psychologists, pet & human therapists, Pets and Human Development, Pets As Therapy, pets treated as humans, pets treated as as part of the family, philosophy of mind, physical disability, physical assistants, physical therapists, physical, occupational, and speech-language therapy treatment; physical problems, problems, psychological, Polong, poor attachment, Poor balance, Poor motor control, positive alliance with animal, positive alliance with counselor, positive environment from animals, positive feelings, positive human interactions with animals, positive psychology, Positive social interactions, positivism, Positivistic animism, post traumatic shock disorders, post traumatic stress disorders, poultry farms therapy, pre-operative anxiety, prevention programmes, primary attachment, problematic attachment patterns, problematical insecure attachment styles, problematic behaviour, proprioception, proprioceptive system disorders, pseudo-scientific attachment therapy, pseudo-scientific interventions, psychiatric disability, psychiatric service dogs, psychiatric-based conditions, psychiatry, psychoanalysis, psychoanalytic community, psychological theory,

psychological well being, psychologists, Psychology, psychopathology, psychopathy, psychotic disorders, psychotoxic, quadriplegics, quantum animism, rage-reduction therapy, re-parented, Reactive attachment disorder, reassurance from animals, rebirthing therapy, recreational therapy, reflective functioning, reflective therapy, regressive attachment behaviour, reincarnation, rejection, rejection from family, rejection from friends, rejection from peers, rejection from siblings, rejection from the womb, relational psychoanalysis, relax more around animals, relive trauma & pretend to correct it around animals, repair therapy, repetitive behaviors, resistance, resistance abusive interventions, reunion behaviour, Revival of Animism, risk human life to save animals, sad, saddened, sadness, Salty and Roselle, schizophrenia, seances, secure attachment, secure base distortion, Seeing Dogs Alliance, seeing dogs, seeing horses, seizure alert dogs, seizure disorder, seizure response dogs, self destructive behaviour, Self harming behaviour, self object animal, self object animal theory, self psychology, Self stimulation, sense impending death, sense impending seizure, sense of cohesion with animal, sense of support with animal, sense of sustenance with animal, sense of comfort with animal, sensitive responsiveness, sensory disability, Separation anxiety, Separation behaviour, Serer religion, serious maltreatment, Service animals for people with disabilities, Service animals, service birds, service cats, service dog, service horse, service monkeys, etc; severe attachment disorder behaviours, severe medical conditions, severely handicapped, shamanism, shame, shame society, shaming, shared custody, Shintoism, shutdown, signal dog, single parent families, Smoky, social dominance, social functioning disorders, social problems, social stigma of mental illness, social stressors, social support, social support system, social support theory, social support workers, socially excluded, Society of friends, socio-emotional development, soft surrogate mother substitute, Soul catcher, souls of animals, speech disorders, speech pathology, speech pathologists, Spirit catchers, Spirit house, spiritism, spirits of animals, spiritual essence in animals, spiritualism, state of affective, behavioral, and cognitive dysregulation; stowacism, stowic, stress, stressful situations, Student Wellness Program, stuffed animal toys therapy, subjective consciousness, super animals, supernatural aspects, supernatural powers of animals, support animals, support Dogs, support pets, suppress emotions, suppress feelings, suppressed anger, suppressed grief, suppressed rage, etc; Symbolic anthropology, tactile system disorders, talk to animal as person, & think they reply, talking psychotherapies, temperament concepts, tension, the retreat, The sacred way, The Seeing Eye, theory of mind, therapeutic atmosphere, therapeutic intervenor, therapeutic intervention, therapeutic effect of animal

companionship, therapeutic horseback riding, therapist co-constructs, therapist co-regulates, therapy aided by horse, therapy birds, therapy cats, therapy dogs, therapy horses, therapy monkeys, therapy rabbits, small animals, etc; Therapy Fluffies, therapy sessions with animals, therapy setting, totem pole animal carvings, totem pole idols, totemic animal, totemism, totemization, toy animal therapy, transmarginal inhibition, trauma, trauma treatment, traumatic shock disorders, traumatic stress disorders, treat animal as part of the family, treat animal as person, treatment aided by horse, treatment programmes with animals present, trust counselor more with animal in room, Tylorian concept of animism, uncomfortable with emotional closeness, uncommunacative, unconscious handler, unhappy, unhappiness, unmet attachment needs, unresponsive, unresponsiveness, unworthy, unworthyness, veganism, vegetarianism, Veneration of the dead, very high risk environment, vestibular system disorders, victims of sexual abuse, victims of sexual assault, victimized, victimize-er, victimization, violence, violent, visual motor skills disorders, visual system disorders, visual processing problems, visually impaired, vulnerability, vulnerable, vulnerableness, walker dog, war fatigue, war stress, war trauma, wheelchair-dependent, Wildlife totemization, withdrawl, withdrawn, Working animal, worry, Yokai, Zombi, zombi like,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give You all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

**Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org**