

List of Attachment Disorders Spirits for MD

abuse of all types, caregiver abuse, child abuse, co-workers abuse, elder abuse, emotional abuse, employer abuse, employee abuse, gang abuse, institutional abuse, judicial system abuse, mental abuse, organized crime abuse, parental abuse, peer abuse, psychological abuse, physical abuse, religious abuse, self abuse, sexual abuse, societal abuse, spiritual abuse, spousal abuse, systemic abuse, verbal abuse, etc, alcohol abuse, canniboid abuse, cannibis abuse, drug abuse, fentinol abuse, hallucinogens abuse, illegal drug abuse, illicit drugs abuse, inhalants abuse, medicines abuse, opiod abuse, psychoactive substances abuse, religious abuse, ritual abuse, stimulants abuse, street drug abuse, THC abuse, underground economy abuse, unions abuse, etc,

addiction in chemistry of brain, Addiction medicine, addiction proneness, addiction vulnerability, Addiction psychiatry, Addiction Psychology, Addiction recovery groups, Addiction Research Centers, addiction reward, Addiction therapy, Addiction to alcohol, Addiction to behaviors, Addiction to caffeine, Addiction to candy, Addiction to computer, Addiction to drugs, Addiction to facebook, Addiction to food, Addiction to gambling, addiction to intensity, Addiction to junk food, Addiction to medicines, Addiction to nicotine, Addiction to pop, Addiction to pornography, addiction to sex, Addiction to social media, Addiction to soap operas, Addiction to sports, addiction to substances, Addiction to sugar, Addiction to twitter, Addiction to TV, Addiction to video games, Addiction to work, etc, addiction to, craving for and bondage to any vice, Addiction to other things after quitting original vice, Addiction top priority in life, Addictive Behavior, addictive behavior personality, addictive belief system, addictive impulses, Addictive patterns, Addictive personality, addictive Recognition Technique, addictive tendencies, addictive tragedies,

ADD, ADHD, abandoned, abandoning, abandonment, abnormal developmental trajectory, abnormal speech patterns, abnormality, abortion, abortion advice, abortion ideation, Abreaction, abruptly disrupted attachment, absence of age appropriate social behaviors with adults, absence of social behaviors, abusive parenting styles, abusive relationships, abusive pseudoscientific intervention, abusive therapies, abusiveness, academic psychology, acute emotional discharge, adopted, adoption, adoptive family, adoptive parents, Adrenarche endocrine mechanism, Adult Attachment disorder, Affectional bond disorders, affective attunement, affective communication errors,

affective behavioral/cognitive dysregulation; affective behavioral dysregulation; affective cognitive dysregulation; affective/reflective dialogue, & frequent repair; age regression techniques, age regression therapy, aggressive discipline, alienate, alienated, alienate-er, alienating, alienation, Ambivalence, ambivalent children, anger, angry, animal therapy, antisocial, antisocial behaviours, anxiety, anxiety attacks, anxious, anxious attachment, anxious-ambivalent, anxious/ambivalent strategies, anxious-avoidance, anxious-preoccupied, anxiousness, attachment behaviour, Attachment Cycle, attachment difficulties, Attachment disorders, Attachment disorganization, Attachment injuries, Attachment problems, Attachment measures, Attachment paradigm, attachment parenting, Attachment parents, Attachment patterns, attachment psychology of religion, Attachment Q-sort, Attachment relationships, attachment sequence of attunement, disruption & repair; Attachment style, attachment system, attachment system switched off, attachment theories, attachment theorists, attachment therapists, Attachment theory, attachment therapy, attachment therapy parenting techniques, Attachment-based psychotherapy, Attachment-based therapy, attachment-centred interventions, attachment-disordered behavior, attunement concept, attunement techniques, atypical insecure attachment patterns, atypical maternal behaviour, atypical production of stress hormone cortisol, atypical social behaviour, autism, aversions, aversive procedures, aversive tickling therapy, avoid attachments, avoidant pattern, avoidant strategies, avoidant attachment, avoiding attachment,

Baby hatch, bad attachment experiences, be in touch with inner feelings, behaviour analysts, behaviour characteristics, behaviour disorders, behaviour genetics, behavioural couple therapy, behavioural dysregulation, behavioural problems, behavioural strategies, behaviourism, binding child, biobehavioral system, Bonding Cycle, Bonding issues, Bonding problems, Boris' typology, Brat, Bratella, break down child's emotions, break down child's defence mechanisms, break down child's resistance mechanisms, capitulate, capitulation to therapist, care-giving bond, caregiver traumatization, caregiver unresponsiveness, catharsis, Changes in attachment, child abuse, child abandonment, child endangerment, child neglect, child recklessness, child & family disorders, child's attachment system disorders, child's development frozen, & treatment to unfreeze; child's resistance to attachment, child's capitulation, Child-Parent Psychotherapy, christian counseling, Circle of Security therapy, clinical interview, clinical therapy, Closed adoption, coercive practices in parenting, coercive practices in therapy, Coercive Restraint Therapy, cognitive

development theory, cognitive dysregulation, communicative delay, communicative mismatch, communicative regression, communicative repair, Complex Trauma, compression therapy, compulsive need to control, concurrent psycho-pathology, condition child to parents, conditional love, Conduct Disorder, confrontation therapy, confrontational therapy, confused emotions, confusing, confusion, congruent developmental theories, considered abortion, contemporary attachment theory, contradiction, contradictory, controversial, controversial attachment therapies, corrective attachment therapy, corrective cognitive-emotional experience, counseling, couple therapy, couple & family therapy, Cradling therapy to relive infancy, cruelty to animals, cruelty to child, cruelty to co-students, cruelty to co-workers, cruelty to family, cruelty to friends, cupboard-love, cyber bully, cyber bullied, cyber bully-er, cyber bullying, cybernetics, dangerous therapies, Dead mother complex, death, death wish, deep tissue massage therapy, defense mechanisms, defensive, defensiveness, depressed mother complex, deprived of attention, destructive behaviors, detached, detachment, developmental delay, developmental lags, developmental psychology, developmental psycho-pathology, developmental regressions, Developmental therapy, disinhibited attachment disorder, disinhibited attachment pattern, Disinhibited Disorder of Childhood, dismissive-avoidant, disobedience, disobedient, disobey, disobeying, disorders of attachment, Disorganization, Disorganized, disorganized attachment, disorganized/disoriented attachment, disorientation, disoriented behaviours, Disown family, Disowned, Disownment, despair, despairing, despairing, dispondancy, dispondant, disrupted attachment disorder, disrupting, disruption of child-mother bonding, dissociated, dissociating, dissociation coping, distancing, distorted relationship, distortion of age appropriate social behaviors with adults, distortion of social behaviors, distressed, distressful, distressfulness, distressing, disturbed infant-parent relationships, disturbed social interaction, disturbing, divorce, drive theory, drives for attachment unsatisfied, Dyadic developmental psychotherapy, dyadic model, dyads, dysfunction, dysfunctional, dysfunctional family, dysregulated at behavioural levels, dysregulated at emotional levels, dysregulated at physiological levels, early abrupt separation, early adverse care, early disruptions in care, Early insecure attachment, Early insecure liability, Early insecurity, early abuse, early abandonment, early neglect, early psychosocial stress, ego defenses model, emergence of fear reactions, emotional connection disorders, emotional problems, emotional reciprocity, Emotional security disorders, Emotionally focused therapy, Emotionally unavailable mother complex, emotionally withdrawn, empirical research, enforced eye contact, enforced

holding, environmental risk, ethological theory, Evergreen model of therapy, evolutionary theory, excessive clinging, excessive familiarity with strangers, excessive fear reactions, excessive numbers of caregivers, excessively compliant, excessively inhibited responses, Exposure Sessions, externalising disorders, extremely confrontational therapy, extremely neglectful primary caregivers,

Facilitating Developmental Attachment, fail to seek comfort, failure to form parental attachments in early childhood, failure to initiate social interactions, failure to respond to social interactions, families with depressed mothers, families with domestic violence, family destruction, family therapy, fear of abandonment, fear of startling situations, fear of unfamiliar situations, fearful-avoidant, fearfulness behaviour, fearlessness, Feminism, fetal position, fight or flight pattern, fighting for control, floor time, forced restraint, foster aggressive behavior, Foster Care Interventions, foster families, foster parents, foundlings, freezing of emotions, frequent changes of caregiver, frequent changes of foster parents, Freud's psychic energy model, Freudian theory, friend of child not as parent, frightened, frightening behaviour, frustrated, frustrating, frustration,

generalise negative expectations with others, genetic conditions, genetic factors, genetic markers, German Shepherd training, grief, grief reaction, grief trauma, grieving, group coalitions,

harsh parenting, harsh respite methods, healing of the memories, hereditary, hierarchical power structures, high risk children, history of abuse, history of neglect, hoarding food, holding time, hostile caregivers, hostile confrontation of child in therapy, Human bonding disorders, humiliate, humiliated, humiliate-er, humiliating, humiliation, hyperactive, hyperactiveness, hyperactivity, hypercompliance, hypercompliant, hypervigilance, hypervigilant, hypnosis, hypnotize, hypnotized, hypnotize-er, hypnotizing, hypnotherapy,

ignored, illness, impossible to trust, imposition of boundary violations, impulsive, impulsiveness, inability to attach to birth parents, inability to give & receive love freely, inadequate fear reactions, indiscriminate sociability, Individual-difference therapy, individual psychological counseling, infant fails to elicit nurturance, infant not accept comfort, infant not seek comfort, infant proximity seeking to parent, infant-parent psychotherapy, infantile state, inhibited attachment pattern, Inhibited Type, inner healing, Insecure attachment patterns, Insecure attachment styles, insecurity, insensitive caregivers, instability of attachment patterns, Institutionalized children, intense confrontation parenting, Interaction Guidance, interfere with regulation of negative emotions, interfere with tolerance of negative

emotions, internal fantasy life, internal pathology disorders, internal working model disorders, internalise a negative self-image, internalised, internalising disorders, intervention for impoverished families, intervention for traumatised families, intervention programmes, Intervention to Promote Positive Parenting, Positivism, intrusive, intrusiveness, invincible, invincibleness, invulnerable, invulnerableness, irreversible mental health consequences, irritability, irritable infants, isolation, Jointness, Keys Attachment Centre, Keys Attachment Homes, lack of attention, lack of basic trust, lack of cause, lack of conscience, lack of coherent coping strategy, lack of effect thinking, lack of facial expressions, lack of good caregiver, lack of proper nourishment, lack of social interactions, lack of trust, Learning theory, Leiberman, less desirable attachment styles, less empirical support, lethargic, lethargicness, Limbic regulation, Limbic resonance, Limbic revision, longing for friends, lying, make child relive attachment-related anxieties, maltreated children, maltreating families, maltreating parents, maltreatment, maltreatment recidivism, manipulation of outsiders, Manipulation of sensitive responsiveness, masking emotions, masking true self, matched vitality affect, maternal depression, Maternal Deprivation, maternal feelings of failure, Maternal insensitivity, Maternal rejection, maternal violence-related posttraumatic stress disorder, Medication, mental diseases, mental disorders, mental illness, mental trauma, mentalization, mind control, mind games, mind occult, minority status, misapplications of techniques, miscuing defensive strategies, mistrust, mistrustful, mistrusting, misunderstandings, modern psychology, modern psycho-therapy, monotropy, mood disorders, mood dysregulation, mood fluxuations, mood problems, mood swings, mood y, mother working, Motherhood constellation, mournful, mourning, multi modal treatments, multidimensional family therapy, multidisciplinary therapy, multiple caregivers, multiple foster parents, Narcissism, Narcissistic supply, Need Cycle, need for social interactions, negative life events, negativism, negativity, negotiation of justice, negotiation of reciprocity, Neo-Darwinism, neurodevelopmental disorders, no attachment to birth mother, no consistent caregivers, no maternal empathy, no maternal love, no parental love, no primary attachment, no primary attachment figure, no stranger-wariness, non-attachment, non-familiar caregivers, non-maternal care, non-parental child care, non-verbally attuned with patient's affective state, not attach to anyone in case broken relationship soon, not befriend in case broken relationship soon, not communicate, not send nor receive social communications, obedience parenting, Object relations theory, Open adoption, Oppositional

Defiant Disorder, orphan, orphan abuse, orphanage, out of control, overcome resistance, overlooked, overtly coercive techniques, paraprofessionals, parent education, parent psychotherapy intervention, Parent-Child psychotherapy, Parental abuse, Parental Deprivation, Parental insensitivity, Parental neglect, Parental rejection, parenting education, parenting methods harmful, parenting skills classes, parenting styles, Paternal abuse, Paternal Deprivation, Paternal rejection, patterns of attachment, peer rejection, pejorative, perceived rejection, persistent nonsense questions, pervasive developmental disorders, physical abuse, physical discomfort, physical injury, physical restraint, physical torture, physically coercive approaches, play focused intervention, play therapy, poor attachment, poor experiences, poor impulse control, poor peer relationships, poor social skills, Positive Parenting, positivism, poverty, prefers dad to mom, Preschool Parent Psychotherapy, prevention programs, prevention treatments, primal therapy, primal scream therapy, primary attachment missing, problematic attachment patterns, problematic behaviours, problematic social expectations, problematical insecure attachment styles, problematicness, prolonged parent-child embrace therapy, provoke cathartic emotional discharge, pseudo-scientific attachment therapies, pseudo-scientific Attachment-based therapy, pseudo-scientific interventions, Psychiatric history, Psychiatry, psycho-educational discussions, psychotherapeutic discussions, psychoanalytic community, psychodynamic psychotherapy, psychodynamics, psychological abuse, psychological injury, psychological theory, psychologists, psychopathology, psycho-pathee, psychotherapeutic techniques, psychotoxic, pushing to revisit trauma, Rad-kids, Rad-ishes, RAD-Q, Rads, rage, Rage Cycle, rage therapy, rageful, raging, rage-reduction, reactive attachment disorder, rebirthing, rebirthing therapy, recapitulation, redoing stages of development to correct, reenactments of infant care to rebuild damaged emotional attachments, Relationship-based therapy, relive infanthood, relive trauma therapy, reparented therapy, reparented by treating child as infant, repatterning brain, retraumatize child victims, retraumatized, retraumatizing, retraumatization, Reactive attachment disorders, rebellion, rebellious behaviour, rebelliousness, recidivism, regression, regressive, regressiveness, reckless, recklessness, Recovered memory therapy, reflective functioning, refuse to be comforted, regress to earlier age of trauma, regress to infant status, regression, & catharsis, regressive attachment behaviour, regulation techniques, rehabilitating holding therapy, rejection, rejection from womb, rejection from mother, rejection from father, rejection from family members, rejection from peers, relational psychoanalysis, relive trauma, & pretend to

correct it; remake bad memories into good ones, replace memory resistance, resistance abusive interventions, responds unpredictable, restraint & confrontation therapy, restrictive behaviour, reticence, reticence with unfamiliar adults, reunion behaviour, rib cage stimulation - tickling, pinching, or knuckling; risk factors for subsequent disorders, role playing parenting games, role-reversal, Runaway, sadness, scientifically based attachment procedures, secondary attachments, secure attachment disorders, secure base distortions, selective attachment, self blame, self destruction, self destructive behaviour, self endangering behavior, self guilt, self punishment, self put-down, self sufficiency, sensitive responsiveness, sensitivity techniques, Separation anxiety, separation behaviour, Separation disorder, separation from caregiver, serious maltreatment, severe attachment disorder behaviours, shared custody, significant & irreversible mental health consequences, single parent families, Smyke, social abuse, social dominance, social problems, social reciprocity, social relationships disorders, social stressors, social workers, socially inappropriate behaviours, socially negative behaviours, socio-emotional development disorders, soft surrogate mothers, special education services, states of affective dysregulation, states of behavioral dysregulation, states of cognitive dysregulation, state-sponsored torture, Stockholm syndrome, Strange Situation procedure, Street children, strong sitting, subsequent psychopathology, substance abuse history, superficial positivity, suppress anger, suppress feelings, suppress grief, suppress rage, etc; switched off attachment system, symptomology, talking psychotherapies, talking therapies, Tamars Children, temperament concepts, Theory of Mind development disorder, theory & evidence-based intervention protocol, therapeutic atmosphere, therapeutic intervenor, therapist co-constructs, therapist co-regulates, therapist's forces control, Theraplay, thought disorders, threatening, tragic outcomes, transformational nature of age regression, trauma, Trauma bond, Trauma model of mental disorders, trauma treatment, traumatic influences, traumatic shock disorders, traumatic stress disorders, treat child as infant to Create attachments, treatment programmes, therapeutic foster parents, try to create attachment in child to new caregivers, unavailability of normal socializing care from primary care giving figures, unavailability of normal attention from primary care giving figures, uncomfortable with emotional closeness, underground Attachment Therapy movement, undesirable attachment styles, unhealthy attachment, unlearned infant reactions, unmet attachment needs, unmet needs, unpredictable

caregivers, unpredictable social interactions, unregulated emotions, unresolved family conflicts, unresolved past conflicts, unresponsive caregivers, unstable attachments, untreated Attachment Disorder, unvalidated therapies, unusual early experiences of abrupt separation from caregivers, unusual early experiences of abuse from caregivers, unusual early experiences of neglect from caregivers unwillingness to accept responsibility, unworthy, unworthiness, vent acute emotions, vent rage, very early trauma, very high risk environment, victim, victimize, victimized, victimize-er, vigilance, violations of interpersonal boundaries, violence, violent family, vulnerable, vulnerable to family risk, vulnerableness, Watch, wait and wonder, Welch Theory, wilderness therapy, Williams syndrome, willingness to go with strangers, withdraw from others, withdraw from society, withdrawal, withdrawn, Working through therapy, worry, worried, worrisome, Zed-process, Zaslow Thery, Zeanah's typology, Zero To Three,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give You all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

**Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org**