

List of Afflictions to Women Spirits for MD

Aarskog syndrome, abnormal conception, Abnormal palmar creases, Abnormal placenta, abnormality of pelvic organs, abortion of Rape pregnancy, abortions from contraceptive devices, abortions from IUD's, Abscess, absence of vagina, Absent menstruation, Acrocephalopolysyndactyly, Acrocephalosyndactyly, addictions to pain medicines used during delivery, adenomatous hyperplasia, Adenomyosis, Agalactia, Agenesis, AIDS, Alport syndrome, Amenorrhea, Amenorrhoea, Amoebiasis, Anaemia, anaerobes, Androgen insensitivity syndromes, Angelman syndrome, anhidrotic, Anonychia, anorexia nervosa, Apert, aplasia, artificial menopause, Asplenia congenital, asymptomatic carrier, atresia, Atrophy, autosomal fragile site,

Bacterial sepsis, barbie syndrome, Bardet-Biedl syndrome, Beaded hair, beaver fever, Beckwith-Wiedemann syndrome, benign breast diseases, Benign familial pemphigus, Benign mammary dysplasia, Bicornate uterus, Birth asphyxia, birth control hormone therapy, birth injuries, birth injuries to central nervous system, Birth injury to peripheral nervous system, Birth injury to scalp, Birth injury to skeleton, Birth trauma on Baby, Birth trauma on Mother, Birthmark, bladder moved after pregnancy, blaming self, bloodguiltiness, bloodguilty, body rash, born dead baby, Bourneville's disease, brachial plexus birth injuries, breast cancer, breast cysts, breast disorders, breast masses, breast neoplasms, breast pain, Breast reconstruction, breast tumor, breast-conserving surgery, breech delivery, Bronchopulmonary dysplasia, bulemia, bullous ichthyosiform erythroderma, burning urinating,

caesarean section, cancerous lump, cancerous tumors, cancers of the female reproductive system, cancer syndrome, candidal vulvovaginitis, Candidemia, candidiasis, Candidosis, Carcinoid syndrome, cardiac dysrhythmia, cardiac failure, Cardiomyopathy, cervical cancer, cervical cancers, Cervicitis, chemotherapy, Chimera, chlamydia, Chlamydia trachomatis, Chorioamnionitis, Chromosomal abnormalities, Chromosome

inversion, chronic fatigue syndrome, Circumvallate placenta, Cockayne syndrome, coerced abortion, cold sores, coma, complex of breast cancer, complications from Multiple gestation pregnancies, Complications of anaesthesia, Congenital alopecia, Congenital leukonychia, Congenital malformations, Congenital morphological disturbances of hair, Congenital onychauxis, Congenital splenomegaly, Conjoined twins, conjunctivitis, contact bleeding, continually dieting, Convulsions, cord around neck, cord entanglement, Corpus luteum cyst, counselling to have an abortion, crab lice, crabs, Cri-du-chat syndrome, crypto, Cryptophthalmos syndrome, Cryptosporidiosis, Cutis laxa, Cyclopia, Cystocele, cystosarcoma phyllodes, cystosarcoma phylloides, cysts on ovaries, cytomegalovirus infection,

Dacryocystitis, Darier-White, De Lange syndrome, Deadborn fetus, debility, Deep phlebothrombosis, Delayed puberty, Deletion from autosomes, delivery by forceps, delivery by vacuum extractor, delivery complicated, depression, Dermatoglyphic anomalies, desire to be thin, Diabetes mellitus, diarrhoea, dieting, diets, Diffuse cystic mastopathy, Digestive system disorders, discharge, Diseases of Bartholin's gland, diseases of blood, diseases of blood-forming organs, Diseases of Circulatory system, Diseases of digestive system, diseases of nervous system, Diseases of respiratory system, Diseases of skin, Diseases of subcutaneous tissue, disorders involving the immune mechanism, disorders of amniotic fluid, disorders of amniotic membranes, Disorders of muscle tone, Disorders of Puberty, disproportion, Disruption of caesarean section wound, Disruption of perineal obstetric wound, Disseminated intravascular coagulation, disturbances of cerebral, Doubling, Down's syndrome, Dubowitz syndrome, ductal carcinoma in situ, ductal carcinomas, dysbiosis, Dysmenorrhoea, dysmorphic Fetal alcohol symptoms, Dysmorphism due to warfarin, Dyspareunia, Dysplasia,

Eclampsia, Ectodermal dysplasia, Ectopic pregnancy, ectropion, Edwards' syndrome, Embryonic cyst, emergency caesarean section, encouraging an abortion, Endocervicitis, Endocrine diseases, Endometrial hyperplasia, Endometriosis, endometritis, endomyometritis, Enlarged nails, Epidermolysis bullosa dystrophica, Epidermolysis bullosa letalis, Epidermolysis bullosa simplex, Erb's paralysis, Erosion, erythema toxicum, Escherichia coli, esophageal candidiasis, Excessive menstruation, Excessive vomiting,

Excessive weight gain, Exocervicitis,

Failed attempted abortion, Failed induction of labour, False labour, Fat necrosis, fat shaming dieting, fatigue syndrome, fear of Multiple gestation pregnancies, feast & purge, Feeding problems of newborn, female climacteric states, Female infertility of anovulation, Female infertility with male factors, fentanyl, fentanyl addictions, fertility disorders, fetal abnormality, Fetal alcohol syndrome, fetal damage, Fetal distress, Fetal hydantoin syndrome, fetal stress, Fetus affected by complications of pregnancy, Fetus affected by maternal conditions, fetus pressing on sciatic nerves, fibroadenoma, Fibrocystic breast changes, fibromialgia, Fibrosclerosis, fibrosis of breast, Fistula to large intestine, Fistula to small intestine, fistulae, floppy baby syndrome, Follicular cyst, forced abortion, frequent menstruation, fungal infection, Fungemia, Fusion of labia,

Galactoceles, Galactorrhoea, gastrointestinal candidiasis, Gender identity disorder, Genital varices, genital warts, Giardiasis, girl babies aborted, glandular hyperplasia, Goldenhar syndrome, Gonadotropin deficiency, gonorrhea, Granuloma inguinale, guilt, guilty, guilty of shedding blood, guilty of shedding innocent blood, Gynecomastia,

H E L L P syndrome, habitual aborter, haematemesis, Haematocolpos, haematological disorders, Haematoma, Haematoma of obstetric wound, Haematometra, Haematosalpinx, Haemolytic disease, Haemophilus ducreyi, Haemorrhage, Haemorrhagic disease, Haemorrhoids, Hailey-Hailey disease, Hamartosis, Happy puppet syndrome, Harlequin fetus, harletry, having children late, Hepatitis A, Hepatitis B, Hereditary lymphoedema, Hermaphroditism, hernia, herpes, Herpes gestationis, Herpes simplex, herpesviral infection, high risk pregnancy, hip injuries, HIV, Holt-Oram syndrome, hormonal therapy, hormone imbalance, hormone replacement therapy, HPV, HTLV, Human Immunodeficiency Virus, Human Papillomavirus, human T-cell leukemia-lymphoma virus, human T-cell lymphotropic virus, human T-lymphotropic virus, Hydatidiform mole, hydrocele, Hydrops fetalis, Hydrops fetalis due to haemolytic disease, Hydrosalpinx, hyperelastica, Hyperemesis gravidarum, Hyperstimulation of ovaries, hypertensive disorders, hypertonia, Hypertrophic elongation, hypertrophic nails, Hypertrophy, Hypogalactia, Hypogonadism, Hypoplasia, Hypothermia,

hypotonia, Hypoxic ischaemic encephalopathy, hysterectomy, ichthyosis, ill affects of contraceptive devices, immaturity, immodest clothing, Imperforate hymen, Incompetence, Incontinentia pigmenti, Indeterminate sex, Induration, Infection of amniotic membranes, Infection of amniotic sac, Infection of vagina, Infection of vulva, Infections of breast, infectious diseases, infective mastitis, infertile, infertility, inflammation, Inflammatory Breast Cancer, Inherited chromosomal disorders, Inherited genetic disorders, Inherited keratosis palmaris, Inherited keratosis plantaris, Interstitial emphysema, intestinal obstruction, intestinal perforation, intoxications due to drugs administered to Mother or baby, Intra-amniotic infection, Intrauterine hypoxia, Intrauterine synechiae, Inversion of uterus, inverted nipple, irregular menstruation, irritability, irritable bowel syndrome, ischaemia,

jaundice, Kallmann syndrome, Karyotype, Keratosis follicularis, Kernicterus, Klebsiella granulomatis, Klinefelter's syndrome, Klippel-Trénaunay-Weber, Klumpke's paralysis,

Labour complicated, laceration, leukemia, leukomalacia, Leukoplakia, Leukorrhoea, limited pregnancies due to c-section delivery, listeriosis disseminated, Liver disorders, Long labour, loss of bladder control, low weight gain, lump, lump in breast,

make-up mask, malaria, Malformation of placenta, Malfunction of external stoma of urinary tract, Malignant tumors, Malnutrition, malposition of fetus, Malposition of uterus, malpresentation of fetus, Mammary duct ectasia, Marburg virus, Marfan's syndrome, marker heterochromatin, mastectomy, Mastitis, Mastocytosis, Mastodynia, Maternal hypotension syndrome, Maternal infectious diseases, Maternal parasitic diseases, Meadow's syndrome, Meconium ileus, Meconium peritonitis, Medical abortion, Medication induced abortion, melaena, Menometrorrhagia, Menopausal climacteric states, menopausal hormone therapy, Menorrhagia, Menstrual function disorders, Mental disorders, metabolic diseases, metastatic tumors, metritis, miscarriage, Mittelschmerz, Moebius syndrome, Molluscum contagiosum, Monilethrix, moniliasis, Mosaicism, Multiple delivery, Multiple endocrine neoplasia, murder, myasthenia gravis, Mycoplasma genitalium,

Mycoplasma hominis infection, myometritis,

naevus flammeus, Nail-patella syndrome, narrow hips causing delivery problems, Necrotizing enterocolitis, Neisseria gonorrhoeae, Neurofibromatosis, neutropenia, newborn affected by complications of pregnancy, newborn affected by maternal conditions, no self-respect, non-cancerous lump, non-neoplastic naevus, Noonan syndrome, not having children, nutritional diseases,

Obstetric death, Obstetric embolisms from air, blood-clot, fat, or fluid; Obstetric haematoma, Obstetric laceration, Obstetric pyaemic embolism, Obstetric septic embolism, obstetric trauma, Obstructed labour, oedema, Oedema disorders, oidiomycosis, Old laceration, Oligohydramnios, Oligomenorrhoea, Omphalitis, oophoritis, oral sex, oro-facial-digital syndrome, ovarian cancer, Ovarian failure, Ovulation bleeding,

Pachyonychia, Paget's disease of breast, Pain, papillomas of breast, parametritis cellulitis, parasiteism, parasitic diseases, Patau's syndrome, pelvic cellulitis, pelvic inflammatory disease, Perianal candidiasis, perimenopausal disorders, Perineal laceration during delivery, periventricular cysts, Persistent thyroglossal duct, Phakomatoses, Phakomatosis, phlebitis, phlebopathy, Phrenic nerve paralysis, phyllodes tumor, phylloides tumor, Pili annulati, Placenta accreta, Placenta praevia, Placental transfusion syndromes, Pneumomediastinum, pneumonia, Pneumopericardium, Pneumothorax, Polycystic ovary syndrome, Polycythaemia neonatorum, Polyhydramnios, Polyp, polyploidy, poor circulation, Port-wine stain, post abortion syndrome like post Vietnam war syndrome, post menopause pregnancy, post partum depression, post traumatic shock disorder, post traumatic stress disorder, Post-menopausal bleeding, Postcatheterization urethral stricture, Postcoital bleeding, Postmaturity, Postmenopausal atrophic vaginitis, postmenopausal hormone therapy, Postoperative adhesions, Postprocedural urethral stricture, Prader-Willi syndrome, pre-cancerous conditions, pre-invasive lesions, Precocious puberty, Premature abruptio placentae, Premature Menopause, Premature rupture of membranes, Premature separation of placenta, Prematurity, premeditated murder, Premenstrual tension syndrome, Preterm delivery, primary tumor, prolapse, prolapse of cord, Prolonged pregnancy, prostituting body, proteinuria

disorders, pseudohermaphroditism, PTSD, pubic lice, Puerperal infections, Puerperal sepsis, Pure gonadal dysgenesis, pyometra,

R h or A B O isoimmunization, rare menstruation, Reactions due to drugs administered to Mother or baby, Rectocele, rectovaginal fistula, rejection, renal failure, Residual ovary syndrome, Respiratory distress syndrome, Retained membranes, Retained placenta, Robin syndrome, Robinow-Silverman-Smith syndrome, rubella syndrome, Rubinstein-Taybi syndrome, Rupture of uterus,

Salpingitis, sanguineous, scabies, scanty menstruation, Sciatica from fetus position, Sciatica from hip rearrangement, Sclerema neonatorum, Seckel syndrome, secondary tumors, self-hatred, self-rejection, Sequelae, Severe pre-eclampsia, sexually transmitted diseases, sexually transmitted infection, shame, shame society, shamefaced, shamefacedness, shaming, Shigellosis, short cord, Silver-Russell syndrome, Single spontaneous delivery, sirenomelia, Situs inversus, Sjögren-Larsson syndrome, skin infection, skin irritation, skin tags, Smith-Lemli-Opitz syndrome, Solitary cyst, Sotos syndrome, Spontaneous abortion, Spontaneous breech delivery, stenosis, Stillbirth, strawberry, street woman, streptococcus, Stricture, Sturge-Weber syndrome, Subinvolution, Subluxation of symphysis Pubis, Superficial thrombophlebitis, Suppressed lactation, swollen breasts, syphilis, systemic candidiasis,

tenderness of breast, tenderness of nipples, Tentorial tear, terminating pregnancy if fetus disorders, terminating pregnancy if fetus wrong gender than desired, the clap, throat chlamydia, throat gonorrhea, thrombocytopenia, thrombocytopenia with absent radius syndrome, thrush, Thyroglossal cyst, thyroiditis, Tight hymenal ring, Torsion, toxoplasmosis, Transient myocardial ischaemia, Transient tachypnoea, Transitory endocrine disorders, Transitory metabolic disorders, trauma from abortion, Treponema pallidum, trich, Trichomonas vaginalis, trichomoniasis, Trichothiodystrophy, Triploidy, Trisomy, Trisomy of autosomes, tubal pregnancy, tuberculosis, Tuberous sclerosis, Tumors, Turner syndrome, twiggy syndrome,

Ulceration, umbilical cord complications, Umbilical polyp, Unicornate uterus, unwanted pregnancy, Ureaplasma infection, urethrocele, urinary tract

infection, urinary-genital tract fistulae, Urticaria pigmentosa, uterine cancer, vaginal cancers, vaginal discharge, vaginal thrush, vaginal yeast infection, Vaginismus, vaginitis, Varicose veins, vasa praevia, vascular stains, VATER syndrome, venereal diseases, Venous complications, venous thrombosis, Ventouse delivery, Venus, Vesicovaginal fistula, viral diseases, Viral hepatitis, viral hepatitis, von Hippel-Lindau disease, Von Recklinghausen's disease, vulvar cancer, vulvitis,

Warkany syndrome, water warts, Weaver syndrome, weight loss, Whistling face, Wide cranial sutures, William's syndrome, Wilson-Mikity syndrome, Withdrawal symptoms from medical drugs, withdrawal symptoms from use of drugs of addiction, Wolff-Hirschorn syndrome, womb cancer,

Xeroderma pigmentosum, yeast infections, Zellweger's syndrome, Zika virus,

In the Name and Blood of the Lord Jesus Christ, I bind up each and every demon left, I individually chain, cage, bag and box them. I put them in caves with rocks over the caves with the Light of the Lord shining bright and the angels of the Lord reading Scriptures and praise the Lord continually. I cover us all with the Blood of Jesus. I call upon God's Holy Spirit to fill everybody full to overflowing and to keep chasing out the demons and to restore God's people. In Jesus' Name, I loose legions of the spirits of the Lord, life, health, healing, restoration, wellbeing, sound mind, and a good night's sleep.

We thank You Lord Jesus for everything You have done. We give You all the glory and honour, and blessings and praise. In Jesus' Mighty Name and by His Blood. Amen.

**Pastor T. John Franklin
Church of Salvation, Healing, and Deliverance
COS-HAD.org**